

ORGANIZATION FOR TROPICAL STUDIES
LIBRARY
PALO VERDE BIBLIOGRAPHY
(Up date September 29, 2005)

1. Aburto, G. 2004. The media and biodiversity conservation . In: *Biodiversity conservation in Costa Rica: learning the lessons in a seasonal dry forest*. G. W. Frankie, A. Mata-Jiménez, and S. B. Vinson, eds . Pp. 257-65. Berkeley, CA: University of California Press.
2. Acuña Mesén, R. A. 1989. *El impacto de las quemas y la sequía sobre las poblaciones de las tortugas de Palo Verde, Guanacaste, Costa Rica. Informe Técnico*. San José: Organización para Estudios Tropicales. 37 p.
3. ———. 1990. El impacto del fuego y la sequía sobre la estructura de la población de Kinosternon scorpioides (Testudines: Kinosternidae) en Palo Verde, Guanacaste, Costa Rica. *Brenesia* 33: 85-97.
4. ———. 1994. Variación morfométrica y características ecológicas del habitat de la tortuga candado Kinosternon scorpioides en Costa Rica (Chelonia, Kinosternidae). *Revista Brasileira de Biología* 54, no. 3: 537-47.
5. Acuña, E., M. García, and M. Meza. 1983. Estudio de la vegetación en bosque seco tropical, Parque Nacional Palo Verde, Bagaces, Guanacaste. Tesis de Bachillerato. Instituto Tecnológico de Costa Rica. 92 p.
6. Acuña Mesén, R. A., and C. Márquez Baltán. 1993. El dimorfismo sexual de Kinosternon scorpioides (Testudines: Kinosternidae) en Palo Verde, Costa Rica. *Revista de Biología Tropical* 41, no. 2: 261-65.
7. Aldrich, J. R., and M. S. Blum. 1978. Aposematic aggregation of a bug (Hemiptera: Coreidae): the defensive display and formation of aggregation. *Biotropica* 10, no. 1: 58-61.
8. Aldrich, J. R., J. P. Kochansky, W. R. Lusby, and S. R. Dutky. 1982. Volatile male-specific natural products of a coreid bug (Hemiptera: Heteroptera). *Journal of Chemical Ecology* 8, no. 11: 1369-76.
9. Alfaro, J. 1988. *Proyecto colectivo de investigación y extensión en el Refugio de Vida Silvestre Dr. Rafael L. Rodríguez Caballero (Palo Verde), Costa Rica*. Heredia: Universidad Nacional. 213 p.
10. Alonso M., A., and M. Márquez. 1994. Dragonfly predation on butterflies in a tropical dry forest. *Biotropica* 26, no. 3: 341-44.

11. Altuve, J. L. 1992. Eficacia de dos métodos de cosecha de huevos en nidos artificiales de piche (Dendrocygna autumnalis) en tres habitats del Refugio Nacional de Vida Silvestre Palo Verde, Costa Rica. Tesis de Maestría. Universidad Nacional. 69 p.
12. Alvarado Quesada, G. M. 1986. Estudio de la anidación del martinete coroninegro o chocuaco en la Isla Pajaros, Río Tempisque, Costa Rica. Tesis de Licenciatura. Universidad de Costa Rica. 85 p.
13. Alvarado Quesada, G. M. 1998. Extensión del ámbito reproductivo del avetorrillo pantanero, Ixobrychus exifis en Costa Rica. *Brenesia*, no. 49-50: 109-110.
14. Anderson, W. R. 2001. Notes on neotropical Malpighiaceae - VIII . *Contributions From the University of Michigan Herbarium* 23: 63-81.
15. Andrews, R. M., and A. S. Rand. 1974. Reproductive effort in anoline lizards. *Ecology* 55, no. 6: 1317-27.
16. Anon. 1992. All the boys think she's a spy. *Discover* April: 15.
17. ———. 1987. Roots of Lomas Barbudal and friends. *Bee Line* 1: 2.
18. Apsit, V. J. 1998. Fragmentation and pollen movement in a Costa Rican dry forest tree species. Ph.D. Dissertation . University of Georgia. 122 p.
19. Araya-Barrantes, M. V. 1983. Propagación vegetativa de Bombacopsis quinata (Jacq.) Dugand (pochote), con miras al establecimiento directo de un jardín semillero. Tesis de Licenciatura . Universidad Nacional. 87 p.
20. Arias Rodríguez, O. 2001. Estudio hidrometeorológico de la Cuenca del Río Tempisque, Guanacaste. Tesis de Bachillerato. Instituto Tecnológico de Costa Rica. 33 p.
21. Arizmendi, Ma. del C., H. A. Berlanga, L. Márquez Valdelamar, Ma. de L. Navarrijo, and J. F. Ornelas. 1990. *Avifauna de la región de Chamela, Jalisco*. México, D.F: UNAM.
22. Armbruster, W. S., V. S. Di Stilio, J. D. Tuxill, T. C. Flores, and J. L. V. Runk. 1999. Covariance and decoupling of floral and vegetative traits in nine Neotropical plants: a re-evaluation of Berg's correlation-pleiades concept. *American Journal of Botany* 86, no. 1: 39-55.
23. Arnaud, P. H. Jr. 1963. Types of the Tachinidae (Diptera) in the American Museum of Natural History. *Bulletin of the American Museum of Natural History* 125, no. 2: 101-38.
24. Arnell, J. H. 1973. Mosquito Studies (Diptera, Culicidae). XXXII. A revision of the genus Haemagogus . *Contributions of the American Entomological Institute* 10, no. 2: 1-174.

25. Arriagada-Cisternas, R. A. 2004. Estimating profitability and fertilizer demand for rice production around the Palo Verde National Park, Costa Rica. M.Sc. Thesis. North Carolina State University. 151 p.
26. Arroyo Mora, J. P. 2002. Forest cover assessment, fragmentation analysis and secondary forest detection for the Chorotega Region, Costa Rica. M.Sc. Thesis. University of Alberta. 111 p.
27. Augspurger, C. K., M. A. Geber, and J. P. Evans. 1985. Reproductive output and biomass allocation in Sesbania emerus in a tropical swamp. *American Journal of Botany* 72, no. 7: 1136-43.
28. Baker, H. G. , I. Baker, and P. A. Opler. 1978. A comparison of the amino acid complements of floral and extrafloral nectars. *Botanical Gazette* 139, no. 3: 322-32.
29. Bakkegard, K. A., and R. M. Timm. 2001. Boa constrictor (Boa constrictor). Diet . *Herpetological Review* 32, no. 4: 261-62.
30. Barboza Jiménez, G. 1986. Conozcamos la flora y la fauna de América tropical. Fauna: El pájaro bobo. *Biocenosis* 3, no. 2: 17-18.
31. Barboza Jiménez., G. 1996. Pastoreo controlado evita incendios y ayuda a ganaderos. *OET al Día*, no. 1: 4-5.
32. Barboza Jiménez, G. 1994. Restauración ecológica y control de incendios por medio del pastoreo. *OET al Día*, no. 1: 2.
33. ———. 1992. *Términos de referencia para evaluación de impacto ambiental y plan de manejo del Parque Nacional Palo Verde: II etapa Proyecto de Riego Arenal-Tempisque y sus posibles efectos sobre el Parque Nacional Palo Verde*. San José: MIRENEM, SPN. 36 p.
34. Barnard, G. S. 1982. Costa Rica: model for conservation in Latin America. *Nature Conservancy News* 32: 7-11.
35. Barrantes Montero, G., and J. E. Sánchez Pérez . 2004. Geographical distribution, ecology, and conservation status of Costa Rican dry-forest avifauna. In: *Biodiversity conservation in Costa Rica: learning the lessons in a seasonal dry forest*. G. W. Frankie, A. ; Mata-Jiménez, and S. B. Vinson, eds. Pp. 147-59. Berkeley, CA: University of California Press.
36. Barrett, S. C. H. 1983. Eichhornia crassipes (Jacinto de Agua, Choreja, Lirio de Agua, Water Hyacinth). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp.236-39. University of Chicago Press.
37. ———. 1979. The evolutionary breakdown of tristily in Eichhornia crassipes (Mart.) Solms (water hyacinth). *Evolution* 33, no. 1: 499-510.

38. ———. 1980. Sexual reproduction in Eichhornia crassipes (water hyacinth). I. Fertility of clones from diverse regions. *Journal of Applied Ecology* 17, no. 1: 101-12.
39. ———. 1980. Sexual reproduction in Eichhornia crassipes (water hyacinth). II. Seed production in natural populations. *Journal of Applied Ecology* 17, no. 1: 113-24.
40. Barrie, F. R. 2005. Thirty-five new species of Eugenia (Myrtaceae) from Mesoamerica. *Novon* 15, no. 1: 4-49.
41. Barrientos Llosa, Z. 2003. Estado actual del conocimiento y la conservación de los moluscos continentales de Costa Rica. *Revista de Biología Tropical* 51, no. Supl3: 285-92.
42. Barthell, J. 1987. Lomas OTS visit. *Bee Line* 1: 5-6.
43. Bawa, K. S. 1980. Evolution of dioecy in flowering plants. *Annual Review of Ecology & Systematics* 11: 15-39.
44. Bawa, K. S. 1977. The reproductive biology of Cupania guatemalensis Radlk. (Sapindaceae). *Evolution* 31: 52-63.
45. Bawa, K. S., and P. A. Opler. 1975. Dioecism in tropical forest trees. *Evolution* 29, no. 1: 167-79.
46. ———. 1977. Spatial relationships between staminate and pistillate plants of dioecious tropical forest trees. *Evolution* 31, no. 1: 64-68.
47. ———. 1978. Why are pistillate inflorescences of Simarouba glauca eaten less than staminate inflorescences? *Evolution* 32: 673-76.
48. Bawa, K. S., and C. J. Webb. 1984. Flower, fruit and seed abortion in tropical forest trees: implications for the evolution of paternal and maternal reproductive patterns. *American Journal of Botany* 71, no. 5: 736-51.
49. Becker, V. O. 1984. Taxonomic notes on the neotropical Microlepidoptera. *Revista Brasileira de Entomologia* 28, no. 2: 129-201.
50. Beltrán Sola, J., and J. Esser. 1999. *Análisis de la contribución del sector no gubernamental a la conservación in situ de la biodiversidad en Costa Rica, Honduras y Nicaragua, América Central*. Eschborn: Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ).
51. Bethel, J. S. 1972. *Structure composition and organization of tropical trees: interim report*. Seattle: University of Washington. Coll. Forest Resources. 20 p.
52. Blatch, S. A., F. C. Thompson, and M. A. Zumbado-Arrieta. 2003. A review of the Mesoamerican flower flies of the genus Meromacrus (Diptera: Syrphidae) including the description of a new species. *Studia Dipterologica* 10, no. 1: 13-36.

53. Bolaños Herrera, R. 1984. *Serpientes, venenos y ofidismo en Centroamérica*. San José: Editorial Universidad de Costa Rica. 136 p.
54. Bonilla D., A. 1980. Palo Verde, refugio de fauna silvestre. *Prociencia* 5, no. 25: 4.
55. Bonilla D., A. 1982. *Palo Verde: un parque nacional protegido por la opinion pública. Programa de Educación Ambiental*. UNED, San José.
56. Borkent, A., and A. Picado. 2004. Distinctive new species of Atrichopogon Kieffer (Diptera: Ceratopogonidae) from Costa Rica . *Zootaxa*, no. 637: 1-68.
57. Boshier, D. H., and M. R Billingham. 2000. *Genetic diversity and population structure of trees in fragmented dry zones forests of Central America* . Oxford: University of Oxford.Oxford Forest Institute. 30 p.
58. Botero, J. E. 1992. Ecology of blue-winged teal wintering in the Neotropics . Ph.D. Dissertation. Madison, WI: University of Wisconsin. 162 p.
59. Botero, J. E., and D. H. Rusch. 1994. Foods of blue-winged teal in two neotropical wetlands. *The Journal of Wildlife Management* 58, no. 3: 561-65.
60. Bourgeois, W. W., D. W. Cole, H. Riekerk, and S. P. Gessel. 1972. *Geology and soils of comparative ecosystem study areas, Costa Rica*. Seattle: University of Washington. 36 p.
61. Boza, M. A. 1981. Aves sobresalientes de Palo Verde. *Biocenosis* 3, no. 1-2: 23-25.
62. ———. 1993. Conservation in action: past, present, and future of the National Park System of Costa Rica. *Conservation Biology* 7, no. 2: 239-47.
63. ———. 1981. El caso de Palo Verde. *Biocenosis* 2: 3-4.
64. ———. 1988. *Parques Nacionales Costa Rica National Parks*. Madrid: INCAFO. 333 p.
65. Bradbury, J. W., and S. L. Vehrencamp. 1976. Social organization and foraging in emballonurid bats. Part 1: field studies. *Behavioral Ecology and Sociobiology* 1, no. 4: 337-81.
66. Brailovsky, H. 1999. A review of the Costa Rican species of Mozena Amyot and Serville, with descriptions of three new species (Hemiptera: Heteroptera: Coreidae:Coreinae: Nematopodini) . *Transactions of the American Entomological Society* 125, no. 4: 419-32.
67. Bravo Chacón, J., T. Flores, C. Araya, and J. M. Morillo Fernández. 1988. *Uso y conservación de humedales de Guanacaste. Los humedales de Palo Verde*. Heredia: Universidad Nacional.

68. Bravo, J., T. Flores, and I. Mora. 1991. Mapeo de los humedales de Palo Verde, Costa Rica. *Ciencias Ambientales* 8: 23-31.
69. Brodie, E. D., and F. J. Janzen. 1995. Experimental studies of coral snake mimicry: generalized avoidance of ringed snake patterns by free-ranging avian predators. *Functional Ecology* 9, no. 2: 186-90.
70. Buchmann, S. L., and G. P. Nabhan. 1996. *The forgotten pollinators*. Washington, D.C.: Island Press. 292 p.
71. Bullock, S. H. 1995. Plant reproduction in neotropical dry forests. In: *Seasonally dry tropical forests*. S. H. Bullock, H. A. Mooney, and E. Medina, eds. Pp. 277-303. New York: Cambridge University Press.
72. Bullock, S. H., and R. B. Primack. 1977. Comparative experimental study of seed dispersal on animals. *Ecology* 58: 681-86.
73. Burger, J. 1992. Drinking, vigilance and group size in white-tipped doves and common ground doves in Costa Rica. *The Wilson Bulletin* 104: 357-59.
74. ———. 2001. Visibility, group size, vigilance, and drinking behavior in coati (Nasua narica) and white-faced capuchins (Cebus capucinus): experimental evidence. *Acta Ethologica* 3: 111-19.
75. Burger, J., and M. Gochfeld. 1995. Biomonitoring of heavy metals in the Pacific Basin using avian feathers. *Environmental Toxicology and Chemistry* 14, no. 7: 1233-39.
76. ———. 1991. Burrow site selection by black iguana (Ctenosaura similis) at Palo Verde, Costa Rica. *Journal of Herpetology* 25, no. 4: 430-435.
77. ———. 1992. Effect of group size on vigilance while drinking in the coati (Nasua narica) in Costa Rica. *Animal Behaviour* 44: 1053-57.
78. ———. 1993. The importance of the human face in risk perception by black iguanas Ctenosaura similis. *Journal of Herpetology* 27: 426-30.
79. ———. 1990. Risk discrimination of direct versus tangential approach by basking Black Iguanas (Ctenosaura similis): variation as a function of human exposure. *Journal of Comparative Psychology* 104, no. 4: 388-94.
80. Burger, J., M. Gochfeld, and B. G. Jr. Murray. 1992. Risk discrimination of eye contact and directness of approach by black iguanas (Ctenosaura similis). *Journal of Comparative Psychology* 106, no. 1: 97-101.
81. ———. 1991. Role of a predator's eye size in risk perception by basking black iguana, Ctenosaura similis. *Animal Behaviour* 42: 471-76.

82. Burger, J., M. Márquez, and M. Gochfeld. 1994. Heavy metals in the hair of opossum from Palo Verde, Costa Rica . *Archives of Environmental Contamination and Toxicology* 27, no. 4: 472-76.
83. Burger, J., J. Rogers, and M. Gochfeld. 1993. Heavy metal and selenium levels in endangered wood storks Mycteria americana from nesting colonies in Florida and Costa Rica. *Archives of Environmental Contamination and Toxicology* 24, no. 4: 417-20.
84. Burnidge, W. S. 2000. Cattle and the management of freshwater neotropical wetlands in Palo Verde National Park, Guanacaste, Costa Rica. M.Sc.Thesis. University of Michigan . 89 p.
85. Burns, J. M. 1996. Genitalia and the proper genus: Codattractus gets mysie and uvydixa - in a compact cyda group - as well as a Hysterectomy, while Cephise gets part of Polythrix (Hesperiidae: Pyrginae). *Journal of the Lepidopterists' Society* 50, no. 3: 173-216.
86. Burns, J. M., and D. H. Janzen. 1999. Drephalys: division of this showy neotropical genus, plus a new species and the immatures and food plants of two species from Costa Rican dry forest (Hesperiidae: Pyrginae) . *Journal of the Lepidopterists' Society* 53, no. 3: 77-89.
87. Busch, C. B. , J. A. Sathaye, and A. Sánchez-Azofeifa. 2000. *Estimating the greenhouse gas benefits of forestry projects: a Costa Rican case study* . Berkeley, CA: Ernest Orlando Lawrence Berkeley National Laboratory. 119 p.
88. Buskirk, R. E., and G. W. Otis. 1994. Annual waxy bands on a Costa Rican cactus. *Biotropica* 26: 229-32.
89. Byers, G. W. 1998. Descriptions and distributional records of American Mecoptera. IV . *The University of Kansas Science Bulletin* 55, no. 14: 519-47.
90. Calderón Solano, I. 1993. Análisis de las poblaciones de pochote (Bombacopsis quinata (Jacq.) Dugand) en Costa Rica. Tesis de Licenciatura. Instituto Tecnológico de Costa Rica. 54 p.
91. Calonge, F. D, and Ma del M. Mata-Hidalgo. 2004. A new species of Geastrum from Costa Rica and Mexico. *Boletín de la Sociedad Micológica de Madrid* 28: 331-35.
92. Calvo Alvarado, J. C., and O. Arias. 2004. Restauración hidrológica del humedal Palo Verde. *AMBIEN-TICO*, no. 129: 7-8.
93. Cambra, R. A., and D. Quintero. 1996. The Mexican and Central American species of Lophostigma Mickel, including a new species, new distribution records, and taxonomic notes for the genus (Hymenoptera: Mutillidae). *Pan-Pacific Entomologist* 72, no. 2: 92-101.

94. Cambra, R. A, and D. Quintero. 1997. A revision of Protophopsis Schuster (Hymenoptera: Mutillidae). *Journal of Hymenoptera Research* 6, no. 2: 263-72.
95. Canet Moya, N. M. 1986. Algunos aspectos del comportamiento, ciclo de vida, parasitismo y depredación de Caligo mennon, Lepidoptera: Nymphalidae. Tesis de Licenciatura. Universidad de Costa Rica. 47 p.
96. Carlton, C. E, and R. A. B. Leschen. 1996. New species, distributional notes and systematics of Eutrichites (Coleoptera: Staphylinidae: Pselaphinae). *Transactions of the American Entomological Society* 122, no. 2/3: 161-73.
97. Carranza Velázquez, J. 1992. Pore fungi of Costa Rica. II. *Mycotaxon* 43, no. 351-369.
98. ———. 1993. Pore fungi of Costa Rica. III . *Mycotaxon* 48: 45-57.
99. Carroll, C. R. 1983. Azteca (Hormiga Azteca, Azteca Ants, Cecropia Ants). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 691-93. University of Chicago Press.
100. Cartín G., J. M. 1993. Bibliografía Area de Conservación Tempisque (Palo Verde, Lomas Barbudal, Barra Honda y áreas de influencia), Guanacaste, Costa Rica. A. B. Azofeifa, ed. San José: Organización para Estudios Tropicales. 40 p.
101. Cascante Marín, A. 1999. Efecto de la fragmentación del bosque seco sobre el éxito reproductivo de una especie de árbol maderable: Samanea saman (Mimosaceae). Tesis de Maestría. Universidad de Costa Rica. 87 p.
102. Castillo Centeno, V. E. 1986. Factores ecológicos y de mercado de la reproducción de Rhinoclemmys pulcherrima y Kinosternon scorpioides (Testudines: Emydidae y Kinosternidae) en Costa Rica .Tesis de Licenciatura. Universidad de Costa Rica. 160 p.
103. Castillo Núñez, M., and J. A. Guzmán Alvarez. 2004. Cambios en cobertura vegetal en Palo Verde según SIG. *AMBIEN-TICO*, no. 129: 5-6.
104. Castro S., G. 1993. Palo Verde: un reto de manejo. *Boletín de la Fundación Neotrópica* 1: 8-11.
105. Caterino, M. S. 1999. Taxonomy and phylogeny of the Hister servus group (Coleoptera: Histeridae): a Neotropical radiation . *Systematic Entomology* 24, no. 351-376.
106. Caterino, M. S. 2004. Taxonomy of the Hister criticus group, with description of a new species (Coleoptera: Histeridae) . *Zootaxa*, no. 601: 1-16.
107. Cavers, S., C. M. Navarro-Pereira, and A. J. Lowe. 2003. Chloroplast DNA phylogeography reveals colonization history of a Neotropical tree, Cedrela odorata L., in Mesoamerica . *Molecular Ecology* 12, no. 6: 1451-60.

108. Cavers, S, C. M Navarro-Pereira, and A. J. Lowe. 2003. A combination of molecular markers identifies evolutionarily significant units in Cedrela odorata L. (Meliaceae) in Costa Rica . *Conservation Genetics* 4, no. 5: 571-80.
109. Centro Científico Tropical. 1982. *Areas potenciales para unidades de conservación de recursos naturales en Costa Rica. Informe final de consultoría preparado ppara el Ministerio de la Presidencia*. San José. 307 p.
110. Chalukian, S., M. Deza, J. Fallas Gamboa, M. Guido, C. Márquez Reyes, J. Monge, M. Rodríguez, G. Ruiz, E. Velasco, and R. Vides. 1990. *Bases para la evaluación de los efectos de la alteración del habitat sobre la vida silvestre en Palo Verde, Costa Rica*. Heredia: Universidad Nacional. 46 p.
111. Chapman, C. A., L. Chapman, and K. E. Glander. 1989. Primate population in Northwestern Costa Rica: potential for recovery. *Primate Conservation* 19: 37-44.
112. Chavarría, U., J. González Ramírez, and N. A. Zamora Villalobos. 2001. *Arboles comunes del Parque Nacional Palo Verde =Costa Rica common trees of Palo Verde National Park*. Santo Domingo: Instituto Nacional de Biodiversidad (INBio). 216 p.
113. Chemsak, J. A. 1972. A new seed inhabiting cerambycid from Costa Rica. *The Pan-Pacific Entomologist* 48, no. 2: 150-152.
114. ———. 1999. Revision of the genus Phaea Newman (Coleoptera: Cerambycidae). *Occasional Papers of the Consortium Coleopterorum* 3, no. 1: 36-101.
115. Chemsak, J. A., and E. G. Linsley. 1974. Notes and descriptions of some Lyeid-like neotropical lepturine Cerambycidae (Coleoptera). *The Pan-Pacific Entomologist* 50, no. 1: 35-43.
116. ———. 1976. A review of the Mexican and Central American species of Strangalia Audinet-Serville (Coleoptera, Cerambycidae) . *Journal of the New York Entomological Society* 84, no. 4: 216-32.
117. Chemsak, J. A., and F. A. Noguera. 1998. Review of the genus Sphaenothecus Dupont (Coleoptera: Cerambycidae). *The Pan-Pacific Entomologist* 74, no. 1: 12-26.
118. Chávez Chávez, S. 1999. Los pueblos antiguos y los humedales: un nexo vital . *Costa Rica. Instituto Geográfico Nacional. Informe Semestral* 35: 53-67.
119. ———. 1997-1998. Relación de las poblaciones antiguas con los recursos naturales inmediatos entre 600-1200 D.C. en el Valle del Tempisque, Guanacaste, Costa Rica. *Anales de Prehistoria y Arqueología* 13-14: 227-39.
120. Chávez Chávez, S., and R. A. Acuña Mesén. 1999. Presencia y uso de la tortuga en un sitio arqueológico del Valle del Tempisque, Guanacaste, Costa Rica. *Revista de Arqueología Americana*, no. 16: 195-221.

121. Clark, W. E. 1978. Revision of the neotropical weevil genus Phymatophosus (Coleoptera: Curculionidae) . *Systematic Entomology* 3, no. 2: 103-30.
122. Clark, W. E., and H. R. Burke. 1996. The species of Anthonomus Germar (Coleoptera: Curculionidae) associated with plants in the family Solanaceae. *Southwestern Entomologist*, no. Suppl. 19: 1-114.
123. Coddington, J. A., M. Horner, and E. A. Soderstrom. 1990. Mass aggregations in tropical harvestmen (Opiliones, Gagrellidae: Prionostemma sp.). *Revue Arachnologique* 8, no. 13: 213-19.
124. Collett, S. F. 1977. Sizes of snails eaten by Snail Kites and Limpkins in a Costa Rican marsh. *The Auk* 94: 365-67.
125. Cook, W. M. , R. M. Timm, and D. E. Hyman. 2001. Swimming ability in three Costa Rican dry forest rodents. *Revista de Biología Tropical* 49, no. 3-4: 1177-81.
126. Corn, M. L. 1972. Notes on the biology of Polistes carnifex (Hymenoptera: Vespidae) in Costa Rica and Colombia. *Psyche* 79, no. 3: 150-157.
127. Corrales Mayorga, J. F. 1999. *Mariposas comunes - Area de Conservación Tempisque - Costa Rica =Common butterflies - Tempisque Conservation Area - Costa Rica* . Santo Domingo: Instituto Nacional de Biodiversidad (INBio). 116 p.
128. Coville, R. E. 1981. Biological observations on three Trypoxylon wasps in the subgenus Trypargilum from Costa Rica: T. nitidum schulthessi, T. saussurei, and T. lactitarse (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 57, no. 2: 332-40.
129. Coville, R. E., and P. L. Coville. 1980. Nesting biology and male behavior of Trypoxylon (Trypargilum) tenocitlan in Costa Rica (Hymenoptera: Sphecidae). *Annals of the Entomological Society of America* 73, no. 1: 110-119.
130. Coville, R. E., G. W. Frankie, and S. B. Vinson. 1983. Nests of Centris segregata (Hymenoptera: Anthophoridae) with a review of the nesting habits of the genus . *Journal of the Kansas Entomological Society* 56, no. 2: 109-22.
131. Cronin, G. 1998. Between-species and temporal variation in Acacia-Ant-Hervibore interactions. *Biotropica* 30, no. 1: 135-39.
132. Crow, G. E. 1992. The genus Utricularia (Lentibulariaceae) in Costa Rica. *Brenesia* 38: 83-86.
133. Crow, G. E. 2002. *Plantas acuáticas del Parque Nacional Palo Verde y el valle del río Tempisque, Costa Rica =Aquatic plants of Palo Verde National Park and the Tempisque River Valley, Costa Rica*. Santo Domingo: Instituto Nacional de Biodiversidad (INBio). 296 p.

134. Crow, G. E. 1993. Species diversity in aquatic angiosperms: latitudinal patterns . *Aquatic Botany* 44, no. 2-3: 229-58.
135. Crow, G. E., and D. I. Rivera. 1986. Aquatic vascular plants of Palo Verde National Park, Costa Rica. *Uniciencia* 3: 71-76.
136. Dalfelt, A. 1977. *Informe y recomendaciones sobre el uso futuro de las fincas Ciruelas y Palo Verde: informe para el ITCO*. Turrialba: Unidad de Manejo de Areas Silvestres, CATIE.
137. Daly, H. V. 1976. Leucospis klugii (Hymenoptera, Chalcidoidea) reared from Xylocopa brasilianorum (Hymenoptera, Apoidea) in Costa Rica. *The Pan-Pacific Entomologist* 52, no. 4: 271.
138. Daniels, A. E. 2004. Protected area management in the watershed context: a case study of Palo Verde National Park, Costa Rica. M.Sc. Thesis. University of Florida. 125 p.
139. Darwin, S. P. 1976. The genus Lindenia (Rubiaceae) . *Journal of the Arnold Arboretum* 57, no. 4: 426-49.
140. Davidse, G. , and R. W. Pohl. 1978. Chromosome numbers of tropical American grasses (Gramineae): 5. *Annals of the Missouri Botanical Garden* 65, no. 2: 637-49.
141. Davis, M. A. 1987. The role of flower visitors in the explosive pollination of Thalia geniculata (Marantaceae), a Costa Rican marsh plant. *Bulletin of the Torrey Botanical Club* 114, no. 2: 134-38.
142. de Souza-Lopes, H. 1975. On some new species of Sarcophagidae from Costa Rica (Diptera). *Revista Brasileira de Biologia* 35, no. 3: 485-89.
143. Delgado M., R. 1985. Una superhembra con varios machos: la curiosa historia de una ave. *Biocenosis* 2: 29-30.
144. Delibes, M., and M. C. Blazquez. 1998. Tameness of insular lizards and loss of biological diversity . *Conservation Biology* 12, no. 5: 1142-43.
145. Dietrich, C. H., and L. L. Deitz. 1991. Revision of the Neotropical treehopper Tribe Aconophorini (Homoptera: Membracidae) . *North Carolina ARS Technical Bulletin*, no. 293 : 1-134.
146. Dillon, P. M., S. Lowrie, and D. McKey. 1983. Disarming the 'Evil Woman': petiole constriction by a Sphingid larva circumvents mechanical defenses of its host plant, Cnidocolus urens (Euphorbiaceae). *Biotropica* 15: 112-16.
147. Dirzo, R., and C. A. Domínguez. 1995. Plant-herbivore interactions in Mesoamerican tropical dry forests. In: *Seasonally dry tropical forests*. S. H. Bullock, H. A. Mooney, and E. Medina, eds . Pp. 304-25. New York: Cambridge University Press.

148. Dolph, G. E. 1979. Variation in leaf margin with respect to climate in Costa Rica. *Bulletin of the Torrey Botanical Club* 106, no. 2: 104-9.
149. Dolph, G. E., and D. L. Dilcher. 1980. Variation in leaf size with respect to climate in Costa Rica. *Biotropica* 12: 91-99.
150. Downhower, J. F., and D. E. Wilson. 1973. Wasps as a defense mechanism of katydids. *The American Midland Naturalist* 89, no. 2: 451-55.
151. Dyer, L. A. 1996. Effectiveness of caterpillar defenses against three species of invertebrate predators. *Journal of Research on the Lepidoptera* 34: 48-68.
152. Dyer, L. A. 1994. Lepidopteran larval defenses against predators in tropical and temperate systems: the importance of diet breadth and chemistry. Ph.D. Dissertation. University of Colorado. 240 p.
153. Edgar, B. 1989. Seeds of change in the dry forest. *Pacific Discovery* Fall: 33-37.
154. Ellison, A. M. 2004. Wetlands of Central America. *Wetlands Ecology and Management* 12, no. 1: 3-55.
155. Evans, S. 1999. *The green republic: a conservation history of Costa Rica*. Austin, TX: The University of Texas Press. 317 p.
156. ———. 1997. *The green republic: a conservation history of Costa Rica, 1838-1996*. Ph.D. Dissertation. University of Kansas. 546 p.
157. Fallas Gamboa, J. 1993. *Evaluación de impacto ambiental: II Etapa Arenal-Tempisque y sus posibles efectos sobre el Parque Nacional Palo Verde*. Heredia: Univ. Nacional.
158. Fallas Gamboa, J., E. Carrillo Jiménez, J. R. Rau, M. McCoy, C. Mo-Lee, J. Reynolds Vargas, L. E. Castillo Martínez, C. Ruepert, G. Wong Reyes, E. Vargas Mena, and L. Aguilar. 1994. *Proyecto de Riego Arenal Tempisque fase II: Estudio de impacto ambiental. Informe final*. Heredia: Universidad Nacional.
159. Farji-Brener, A. G. 2003. Microhabitat selection by antlion larvae, *Myrmeleon crudelis*: effect of soil particle size on pit-trap design and prey capture. *Journal of Insect Behavior* 16, no. 6: 783-96.
160. Fauth, J. E., B. I. Crother, and J. B. Slowinski. 1989. Elevational patterns of species richness, evenness, and abundance of the Costa Rica leaf-litter herpetofauna. *Biotropica* 21: 178-85.
161. Fernandes, D. S, F. L Franco, and R. Fernandes. 2004. Systematic revision of the genus *Lachesis* Daudin, 1803 (Serpentes, Viperidae). *Herpetologica* 60, no. 2: 245-60.

162. Fernández, F. A., J. D Rogers, Y. M Ju, S. M Huhndorf, and L. A. Umaña-Tenorio. 2004. Paramphisphaeria costaricensis gen. et sp nov and Pachytrype rimosa sp nov from Costa Rica . *Mycologia* 96, no. 1: 175-79.
163. Fischer, D. H., J. Sánchez, M. McCoy, and E. Bolen. 1982. Aggressive displays of male muscovy ducks. *Brenesia* 19/20: 541-44.
164. Flamm, B. R. 1992. Limiting factors in the establishment growth, and survival of rare canopy trees in a tropical wet forest. *Tulane Studies in Zoology and Botany*, no. Suppl. 1: 101-10.
165. Flaspohler, D. J., and M. S. Laska. 1994. Nest site selection by birds in Acacia trees in a Costa Rican dry deciduous forest. *The Wilson Bulletin* 106, no. 1: 162-65.
166. Fleming, T. H. 1983. Carollia perspicillata (Murciélago Candelaro, Lesser Short-tailed Fruit Bat). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 457-58. Univ. Chicago Press.
167. Fogden, M., and P. Fogden. 2001. *Vida silvestre de los parques nacionales y reservas de Costa Rica*. San José: Fundación Neotrópica. 166 p.
168. Fonseca Calvo, M. E. 2001. Palo Verde: un legado de nuestros antepasados . *Revista Crisol* 6: 35-36.
169. Forero, E. 1983. *Connaraceae*. Flora Neotropica. Monograph 36. New York: New York Botanical Garden. 208 p.
170. Forsyth, A. 1980. Nest site and habitat selection by the social wasp, Metapolybia azteca Araujo (Hymenoptera: Vespidae). *Brenesia* 17: 157-62.
171. Foster, M. S. 1976. Nesting biology of the long-tailed manakin. *The Wilson Bulletin* 88, no. 3: 400-420.
172. Francke, O. F. 1978. Redescription of Centruroides koesteri Kraepelin (Scorpionida, Buthidae) . *The Journal of Arachnology* 6, no. 1: 65-71.
173. Francke, O. F., and S. A. Stockwell. 1987. *Scorpions (Arachnida) from Costa Rica*. Lubbock: Texas Tech Univ. Press. 64 p.
174. Frankie, G. W. 1987. *Lomas Barbudal fire protection project, 1986-1987: final report to WWF. Technical report*.
175. Frankie, G. W. 1975. Tropical forest phenology and pollinator-plant coevolution. In: *Coevolution of animals and plants*. L. E. Gilbert, and P. H. Raven, eds. Pp. 192-209. Austin: Univ. Texas Press.

176. Frankie, G. W., H. G. Baker, and P. A. Opler. 1974. Comparative phenological studies of trees in tropical wet and dry forests in the lowlands of Costa Rica. *Journal of Ecology* 62: 881-919.
177. Frankie G.W., and W. A. Haber. 1983. Why bees move among mass-flowering neotropical trees. In: *Handbook of Experimental Pollination Biology*, Pp.360-372. New York: Scientific and Academic Editions, Division of Van Nostrand Reinhold.
178. Frankie, G. W., W. A. Haber, P. A. Opler, and K. S. Bawa. 1983. Characteristics and organization of the large bee pollination system in the Costa Rican dry forest. In: *Handbook of Experimental Pollination Biology*. C. E. Jones, and R. J. Little, eds. Pp. 411-47. New York: Van Nostrand.
179. Frankie, G. W., V. Solano, and M. McCoy. 1994. *Una evaluación técnica del Corredor La Mula, entre la Reserva Biológica Lomas Barbudal y el Parque Nacional Palo Verde*. San José: CEDARENA; Museo Nacional; Organización para Estudios Tropicales; ULACIT; Universidad de Costa Rica. 126 p.
180. Frankie, G. W., S. B. Vinson, and R. E. Coville. 1980. Territorial behavior of Centris adani and its reproductive function in the Costa Rican dry forest (Hymenoptera: Anthophoridae) . *Journal of the Kansas Entomological Society* 53, no. 4: 837-57.
181. Frankie, G. W., S. B. Vinson, L. E. Newstrom, J. Barthell, W. A. Haber, and J. K. Frankie. 1990. Plant phenology, pollination ecology, pollinator behavior and conservation of pollinators in neotropical dry forest. In: *Reproductive Ecology of Tropical Forest Plants*. K. S. Bawa, and M. Hadley, eds. Pp. 37-47. UNESCO, Paris and Parthenon Publ. Group, Carnforth, UK.
182. Frankie, G. W., S. B. Vinson, and P. A. Opler. 1983. Centris aethyctera and C. fuscata. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 707-8. University of Chicago Press.
183. Fuentes González, G., A. B. Azofeifa, S. Aguilar Zumbado, and S. Díaz Azofeifa, eds. 2001. *Bibliografía de las Areas de Conservación Tempisque, Guanacaste y Arenal-Tilarán (incluye el Golfo de Nicoya)*. San José: Organización para Estudios Tropicales. 1048 p.
184. Furth, D. G. 1998. New World Blepharida Chevrolat 1836 (Coleoptera: Chrysomelidae: Alticinae). *Memoirs of the Entomological Society of Washington* 21: 1-109.
185. Gamboa Coronado, MA. Del M., E. Rodríguez Cavallini, G. Rojas Contreras, R. E. Sánchez Porras, and G. Gutiérrez Espeleta. 2004. Flora bacterial oral y su perfil de sensibilidad a antibióticos en monos de Costa Rica . *Neotropical Primates* 12, no. 1: 24-30.
186. Gamboa Poveda, M. E. 2001. Comportamiento del jabirú (Jabiru mycteria) en tres humedales de la cuenca baja del río Tempisque, Costa Rica. Tesis de Licenciatura. Universidad Nacional. 55 p.

187. Gamboa Poveda, M. E. 2003. El comportamiento de Jabirú mycteria durante la época reproductiva en humedales de la zona norte de Costa Rica . *Zeledonia* 7, no. 1: 4,25-32.
188. Gaston, K. J., I. D. Gauld, and P. E. Hanson. 1996. The size and composition of the hymenopteran fauna of Costa Rica. *Journal of Biogeography* 23: 105-13.
189. Gatti, M. G., and A. G. Farji Brener. 2002. Low density of ant lion larva (Myrmeleon crudelis) in ant-acacia clearings: high predation risk or inadequate substrate? *Biotropica* 34, no. 3: 458-62.
190. Gauld, I. D. 1991. The Ichneumonidae of Costa Rica. 1: Introduction, keys to subfamilies, and keys to the species of the lower pimpliform subfamilies Rhyssinae, Pimplinae, Poemeniinae, Acaenitiinae and Cyllocerinae. *Memoirs of the American Entomological Institute* 47: 1-589.
191. Gauld, I. D., R. Sithole, J. Ugalde-Gómez, and C. Godoy-Cabrera. 2002. The Ichneumonidae of Costa Rica. 4: Introduction and keys to species of the subfamilies Metopiinae; Banchinae (Atrophini, Banchini, Glyptini) . *Memoirs of the American Entomological Institute* 66: 1-768.
192. Gauld, I. D., D. Wahl, K. Bradshaw, P. Hanson-Snortum, and S. Ward. 1997. The Ichneumonidae of Costa Rica. 2: Introduction and keys to species of the smaller subfamilies, Anomalinae, Ctenopelmatinae, Diplazontinae, Lycorininae, Phrudinae, Tryphoninae (excluding Netelia) and Xoridae, with an appendix on the Rhyssinae. *Memoirs of the American Entomological Institute* 57: 1-485.
193. Gauld, I. D., S. Ward, and V. Mallet. 2000. The Ichneumonidae of Costa Rica. 3: Introduction and keys to species of the subfamilies Brachycyrtinae, Cremastinae, Labeninae, and Oxytorinae, and with an appendix on the Anomaloninae. *Memoirs of the American Entomological Institute* 63: 1-453.
194. Gentry, A. H. 1982. Patterns of Neotropical Plant Species Diversity. In: *Evolutionary Biology*. M. K. Hecht, B. Wallace, and G. T. Prance, eds. Pp. 1-84. Vol. 15. Plenum Publishing.
195. Gessel, S. P., D. W. Cole, D. W. Johnson, and J. Turner. 1981. The nutrient cycles of two Costa Rican forests. *Progress in Ecology* 3: 23-44.
196. Gibson, G. A. P. 2003. Phylogenetics and classification of Cleonyminae (Hymenoptera: Chalcidoidea: Pteromalidae). *Memoirs on Entomology, International* 16: 1-339.
197. Gier, P. J. 2003. The interplay among environment, social behavior, and morphology: Iguanid mating systems . In: *Lizard social behavior*. S. F. Fox, J. K. McCoy, and T. Baird , eds. Pp. 278-309. Baltimore, MD : Johns Hopkins University Press.
198. Giesbert, E. F., and J. A. Chemsak. 1989. The genus Stenosphenus Haldeman (Coleoptera: Cerambycidae) . *The Pan-Pacific Entomologist* 65, no. 3: 269-301.

199. Giesbert, E. F., and J. A. Chemsak. 1993. A review of the Rhopalophorini (Coleoptera: Cerambycidae) of North and Central America. *Insecta Mundi* 7, no. 1/2: 27-64.
200. Gilbert, K. A., and P. C. Stouffer. 1990. Dry season activity of Cebus capucinus in a Costa Rican dry forest . *American Journal of Primatology* 20, no. 3: 193.
201. ———. 1989. Use of a ground water source by mantled howler monkeys (Alouatta palliata). *Biotropica* 21, no. 4: 380.
202. ———. 1992. Variation in substrate use by white-faced capuchins. *Human Evolution* 5, no. 1: 5-11.
203. Gilbert, K. A., P. C. Stouffer, and E. W. Stiles. 1991. Dry season diet of Cebus capucinus . *American Journal of Primatology* 24, no. 2: 103.
204. Gill, D. E. 1988. List of mammals in Guanacaste . *A naturalist's guide to the OTS Palo Verde Field Station (la Estación Biológica de la OET). El Refugio de Fauna Silvestre Dr. Rafael Lucas Rodríguez Caballero, Guanacaste Province, Costa Rica.* D. E Gill,ed. Pp. 48-49. San José: OTS.
205. ———. 1988. List of reptiles and amphibians of Lomas Barbudal and probably Palo Verde. In: *A naturalist's guide to the OTS Palo Verde Field Station (la Estación Biológica de la OET). El Refugio de Fauna Silvestre Dr. Rafael Lucas Rodríguez Caballero, Guanacaste Province, Costa Rica.* D. E Gill, ed. Pp.45-47. San José: OTS.
206. ———. 1988. List of trees of La Pacífica and COMELCO (Palo Verde), Guanacaste Province. In: *A naturalist's guide to the OTS Palo Verde Field Station (la Estación Biológica de la OET). El Refugio de Fauna Silvestre Dr. Rafael Lucas Rodríguez Caballero, Guanacaste Province, Costa Rica.* D. E. Gill,ed. Pp. 42-44. San José: OTS.
207. ———. 1988. *A naturalist's guide to the OTS Palo Verde Field Station (la Estación Biológica de la OET). El Refugio de Fauna Silvestre Dr. Rafael Lucas Rodríguez Caballero, Guanacaste Province, Costa Rica .* San José: OTS.
208. ———. 1983. Within tree variation in fruit production and seed set in Capparis odoratissima Jacq. in Costa Rica. *Brenesia* 21: 33-40.
209. Gillespie, T. W. 1999. Life history characteristics and rarity of woody plants in tropical dry forest fragments of Central America. *Journal of Tropical Ecology* 15, no. 5: 637-49.
210. ———. 2000. Rarity and conservation of forest birds in the tropical dry forest region of Central America . *Biological Conservation* 96, no. 2: 161-68.
211. Gillespie, T. W., A. Grijalva, and C. N. Farris. 2000. Diversity, composition, and structure of tropical dry forests in Central America. *Plant Ecology* 147, no. 1: 37-47.

212. Gladstone, D. E. 1983. Bubulcus ibis (Garcilla Bueyera, Cattle Egret). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 550-551. University of Chicago Press.
213. Gómez, L. D., and J. M. Savage. 1983. Searchers on that rich coast: Costa Rican field biology, 1400-1980. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 1-11. University of Chicago Press.
214. González, P. E., and A. Santos Murgas. 2004. Primer reporte de Rhabdepyris humboldti Vargas-Rojas, 2001 (Hymenoptera: Bethyridae) para Costa Rica . *Mesoamericana* 8, no. 1: 1-2.
215. Gorton, R. E. Jr. 1978. Observations on the nesting behavior of Mischocyttarus immarginatus (Rich.) (Vespidae: Hymenoptera) in a dry forest in Costa Rica . *Insectes Sociaux* 25, no. 3: 197-204.
216. Grant, J. R. 2000. New Mesoamerican species of Dichorisandra and Tradescantia sect. Mandonia (Commelinaceae) . *Novon* 10, no. 2: 117-23.
217. Grant, J. R., and J. F. Morales Quirós. 1996. Pitcairnia calcicola (Bromeliaceae), a new species from the tropical dry forest of Costa Rica. *Novon* 6, no. 4: 366-69.
218. Guerrant, E. O., and P. L. Fiedler. 1981. Flower defense against nectar-pilferage by ants. *Biotropica* 13 Supl.: 25-33.
219. Guerrero Barrantes, M. 2002. Estrategia reproductiva, asignación de biomasa y demografía de plantas de Sesbania emerus (aubl) urban (guanacastillo) en una gradiente de inundación: Palo Verde, Guanacaste, Costa Rica. Tesis de Maestría. Universidad de Costa Rica.
220. Guerrero, M., and J. Herrera. 1994. La germinación de Sesbania emerus (Fabaceae): efecto de la inmersión en ácido sulfúrico. *Revista de Biología Tropical* 42, no. 3: 461-66.
221. Guevara S., J. 1988. *Refugios Nacionales de Fauna Silvestre*. San José: Dirección General de Vida Silvestre, MIRENEM. 57 p.
222. Guzmán Alvarez, J. A., M. Castillo Núñez, and M. Clark. 2001. Base cartográfica digital para la cuenca del Río Tempisque . In: *La cuenca del Río Tempisque: perspectivas para un manejo integrado*. J. A. Jiménez Ramón, E. González Jiménez, eds. Pp. 120-135. San José: Organización para Estudios Tropicales.
223. Gómez-Laurito, J. 1982. Contribuciones a la flora ciperológica de Costa Rica. IV. Notas misceláneas. *Brenesia*, no. 19/20: 537-40.
224. Haber, W. A. 1984. Pollination by deceit in a mass-flowering tropical tree Plumeria rubra L.(Apocynaceae) . *Biotropica* 16, no. 4: 269-75.

225. Hall, J. C. 1981. A new species of *Lepidophora* Westwood (Diptera: Bombyliidae) from Costa Rica reared from *Trypoxylon* Latreille (Hymenoptera: Sphecidae). *Entomological News* 92, no. 4: 161-64.
226. Halstead, J. A. 1987. *Acanthochalcis nigricans* Cameron - new distribution information, including Central America (Hymenoptera, Chalcididae). *The Pan-Pacific Entomologist* 63, no. 3: 236.
227. Hamilton, C. W. 1989. A revision of Mesoamerican *Psychotria* subgenus *Psychotria* (Rubiaceae, Part I: introduction and species 1-16). *Annals of the Missouri Botanical Garden* 76, no. 1: 67-111.
228. ———. 1989. A revision of Mesoamerican *Psychotria* subgenus *Psychotria* (Rubiaceae, Part II: species 17-47). *Annals of the Missouri Botanical Garden* 76, no. 2: 386-429.
229. ———. 1989. A revision of Mesoamerican *Psychotria* subgenus *Psychotria* (Rubiaceae, Part III: species 48-61). *Annals of the Missouri Botanical Garden* 76, no. 3: 886-916.
230. Hamilton, R. W. 2005. *Omolabus* Jekel in North and Central America (Coleoptera: Attelabidae). *Zootaxa*, no. 986: 1-60.
231. Hammel, B. E, eds. 2003. *Manual de plantas de Costa Rica. Vol II. Gimnospermas y monocotiledóneas (Agavaceae-Musaceae)*. Monographs in Systematic Botany From the Missouri Botanical Garden Vol 92, No2.
232. Hammel, B. E., M. H Grayum, C Herrera-Mora, and N. A. Zamora-Villalobos, eds. 2003. *Manual de plantas de Costa Rica. Volumen III. Monocotiledóneas (Orchidaceae-Zingiberaceae)*. Monographs in Systematic Botany From the Missouri Botanical Garden , 93.
233. Hanson, P. E., and I. D. Gauld, eds. 1995. *The Hymenoptera of Costa Rica*. New York: Oxford University Press. 893 p.
234. Hansson, C. 2002. *Eulophidae of Costa Rica (Hymenoptera: Chalcidoidea), 1*. Gainesville, FL : The American Entomological Institute. 290 p.
235. ———. 2004. *Eulophidae of Costa Rica (Hymenoptera: Chalcidoidea), 2*. Gainesville, FL : The American Entomological Institute. 536 p.
236. Hartshorn, G. S. 2002. Biogeografía de los bosques neotropicales . In: *Ecología y conservación de bosques neotropicales*. M. R. Guariguata Urbano, and G. H. Kattan, eds. Pp. 59-81. Cartago: Libro Universitario Regional (EULAC-GTZ).
237. Hartshorn, G. S. 1983. Plants, introduction. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 118-57. University of Chicago Press.

238. Hartshorn, G. S. 1988. Tropical and subtropical vegetation of Meso-America. In: *North American Terrestrial Vegetation*. M. G. Barbour, and W. D. Billings, eds. Pp. 365-90. New York: Cambridge University Press.
239. ———. 1983. Wildlands conservation in Central America. In: *Tropical Rain Forest: Ecology and Management*. S. L. Sutton, T. C. Whitmore, and A. C. Chadwick, eds. Pp. 423-44. Oxford, UK: Blackwell Scientific Publ.
240. Hartshorn, G. S., and L. J. Poveda. 1983. Checklist of trees. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 158-83. Univ. Chicago Press.
241. Hauk, W. 1997. A review of the genus *Cydista* (Bignoniaceae). *Annals of the Missouri Botanical Garden* 84, no. 4: 815-40.
242. Haynes, R. R., and L. B. Holm Nielsen. 1992. *Limnocharitaceae*. Flora Neotropica. Monograph 56. New York: The New York Botanical Garden. 32 p.
243. Heinemann, S. J., and J. N. Belkin. 1977. Collection records of the project 'Mosquitoes of Middle America.' 7. Costa Rica (CR). *Mosquito Systematics* 9, no. 2: 237-87.
244. Helms, J. A. 1971. Education and research in tropical forestry. *Journal of Forestry* 69: 414-17.
245. Hernández, R. A. 2004. *Oxybelis aeneus* (narrow-headed vine snake, bejuquilla). *Herpetological Review* 35, no. 1: 84.
246. Hernández Esquivel, D. A. 1990. *Cambios anuales en la composición y distribución de la vegetación acuática en el humedal estacional de Palo Verde, Costa Rica*. San José: Organización para Estudios Tropicales. 25 p.
247. ———. 1991. Flora acuática y sus cambios anuales en un humedal estacional de Costa Rica. I. Uso de habitat por patos (Anatidae) en un humedal estacional de Costa Rica. II. Tesis de Licenciatura. Universidad Nacional. 105 p.
248. Hernández Esquivel, D. A., and J. Gómez L. 1993. *La flora acuática del humedal de Palo Verde*. Heredia: EUNA. 131 p.
249. Hernández Garzón, E. 2001. Estudio poblacional del guayacán real (*Guaiacum sanctum* L.) en el Parque Nacional Palo Verde y en Las Delicias de Garza, Guanacaste. Tesis de Licenciatura. Universidad Nacional. 89 p.
250. Hernández Salas, Z. T. 1999. Cronosecuencia del bosque seco tropical en el Parque Nacional Palo Verde, Bagaces, Costa Rica. Tesis de Bachillerato. Instituto Tecnológico de Costa Rica. 72 p.
251. Hespeneide, H. A. 1988. Buprestidae of the subfamilies Agrilinae and Trachyinae from the Chamela Biological Station, Jalisco, Mexico (Coleoptera). *Folia Entomológica Mexicana* 77: 141-210.

252. Hespenheide, H. A. 1980. New species and a review of the genus Helleriella (Coleoptera: Curculionidae: Zygopinae). *The Coleopterists Bulletin* 34, no. 3: 323-32.
253. Hespenheide, H. A. 1994. An overview of faunal studies. In: *La Selva: ecology and natural history of a neotropical rain forest*. L. A. McDade, K. S. Bawa, H. A. Hespenheide, and G. S. Hartshorn, eds. Pp. 238-43. Chicago: The University of Chicago press.
254. Hespenheide, H. A. 2002. A review of North and Central American Paragrilus Saunders, 1871 (Coleoptera: Buprestidae: Agrilinae) . *Zootaxa* 43: 1-28.
255. Hespenheide, H. A. 2005. Weevils of the genera Archocopturus Heller and Zygopsella Champion: sibling species and mimetic homoplasy (Coleoptera: Curculionidae: Conoderinae). *Proceedings of the Entomological Society of Washington* 107, no. 3: 671-85.
256. Heyer, W. R. 1978. Systematics of the fuscus group of the frog genus Leptodactylus (Amphibia, Leptodactylidae) . *Natural History Museum of Los Angeles County, Science Bulletin* , no. 29: 1-85.
257. Hidalgo C., C. 1986. Determinación de residuos de plaguicidas organoclorados en huevos de ocho especies de aves acuáticas, colectados durante 1983-1984 en la Isla Pájaros, Guanacaste, Costa Rica. Tesis de Licenciatura. Universidad de Costa Rica. 86 p.
258. Hidalgo Mihart, M. G., L. Cantú Salazar, A. González Romero, and C. A. López González. 2004. Historical and present distribution of coyote (Canis latrans) in Mexico and Central America . *Journal of Biogeography* 31: 2025-38.
259. Hoffman, K. M., M. Meinander, V. J. Monserrat, N. D. Penny, and L. A Stange. 2002. A guide to the lacewings (Neuroptera) of Costa Rica . *Proceedings of the California Academy of Sciences* 53, no. 12: 161-457.
260. Hogue, C. L. 1993. *Latin American insects and entomology*. Berkeley: University of California. 536 p.
261. Holdridge, L. R., W. C. Grenke, W. H. Hatheway, T. Liang, and Jr. J. A. Tosi. 1971. *Forest environments in tropical life zones: a pilot study*. Oxford, UK: Pergamon. 747 p.
262. Howe, H. F. , and J. Smallwood. 1982. Ecology of seed dispersal. *Annual Review of Ecology & Systematics* 13: 201-28.
263. Howe, H. F., and G. A. Vande-Kerckhove. 1979. Fecundity and seed dispersal of a tropical tree. *Ecology* 60, no. 1: 180-189.
264. Howell, D. J. 1983. Pollinating bats and plant communities . *National Geographic Society Research Reports* 15: 311-29.
265. Hubbell, S. P., and L. K. Johnson. 1978. Comparative foraging behavior of six stingless bee species exploiting a standardized resource. *Ecology* 59, no. 6: 1123-36.

266. Hubbell, S. P., and L. K. Johnson. 1977. Competition and nest spacing in a tropical stingless bee community. *Ecology* 58: 949-63.
267. Huber, B. A. 1997. The pholcid spiders of Costa Rica. *Revista de Biología Tropical* 45, no. 4: 1583-634.
268. Hurtado-Astaiza, J. 2003. Abundancia, diversidad, riqueza, uso de hábitat y comportamiento de aves acuáticas: una comparación entre un humedal seminatural y un arrozal con riego en Costa Rica. Tesis de Maestría. Universidad Nacional . 108 p.
269. Hurtado-Astaiza, J. 2004. Arrozales de Palo Verde son humedales para aves. *AMBIENTICO*, no. 129: 12-15.
270. Hutchinson, E. W. 1980. The utilization of a tropical seed resource by the variegated squirrel and the cotton stainer bug. M.Sc.Thesis. Michigan State University.
271. ITCO. 1977. *Estudio detallado de los suelos de la Finca Palo Verde. I etapa*. San José, CR: ITCO.
272. Janzen, D. H. 1983. Ara macao (Lapa, Scarlet Macaw). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 547-48. Univ. Chicago Press.
273. ———, (ed.). 1983. *Costa Rican Natural History*. Univ. Chicago Press.
274. Janzen, D. H. 1974. The deflowering of Central America. *Natural History* 83: 48-53.
275. Janzen, D. H. 1976. The depression of reptile biomass by large herbivores. *American Naturalist* 110: 371-400.
276. ———, (ed.). 1991. *Historia Natural de Costa Rica*. San José: Editorial de la Universidad Costa Rica. 816 p.
277. ———. 1983. Hymenaea courbaril (Guapinol, Stinking Toe). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 253-56. University of Chicago Press.
278. ———. 1983. Insects. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 618-45. University of Chicago Press.
279. ———. 1975. Interactions of seeds and their insect predator/parasitoids in a tropical deciduous forest. In: *Evolutionary Strategies of Parasitic Insects and Mites*. P. W. Price, ed. Pp. 154-86. New York: Plenum Press.
280. Janzen, D. H. 1975. Intra- and inter- habit variation in Guazuma ulmifolia (Sterculiaceae) seed predation by Amblycerus cistelinus (Bruchidae) in Costa Rica. *Ecology* 56, no. 4: 1009-13.

281. ———. 1976. The microclimate difference between a deciduous forest and adjacent riparian forest in Guanacaste Province. *Brenesia* 8: 29-33.
282. ———. 1978. Predation intensity on eggs on the ground in two Costa Rican forests. *American Midland Naturalist* 100: 467-70.
283. Janzen, D. H. 1975. Pseudomyrmex nigropilosa: a parasite of mutualism. *Science* 188: 936-37.
284. ———. 1983. Sesbania emerus (Guanacastillo, Pata de Garza). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 322-23. University of Chicago Press.
285. Janzen, D. H. 1980. Specificity of seed-attacking beetles in the deciduous forests of Costa Rica. *Journal of Ecology* 68, no. 3: 929-52.
286. ———. 1976. Sweep samples of tropical deciduous forests foliage-inhabiting insects: seasonal changes and interfield differences in adult bugs and beetles. *Revista de Biología Tropical* 24, no. 1: 149-61.
287. Janzen, D. H., and R. Liesner. 1980. Annotated check-list of plants of lowland Guanacaste Province, Costa Rica, exclusive of grasses and non-vascular Cryptogams. *Brenesia* 18: 15-90.
288. Janzen, D. H., M. J. Sharkey, and J. M. Burns. 1998. Parasitization biology of a new species of Braconidae (Hymenoptera) feeding on larvae of Costa Rican dry forest skippers (Lepidoptera: Hesperidae: Pyrginae). *Tropical Lepidoptera* 9, no. Suppl 2: 33-41.
289. Janzen, D. H., and D. E. Wilson. 1983. Mammals. Introduction. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 426-42. University of Chicago Press.
290. Janzen, F. J., and E. D. Brodie. 1995. Visually-oriented foraging in a natural population of herbivorous lizards (Ctenosaura similis). *Journal of Herpetology* 29, no. 1: 132-36.
291. Jarzomski, C. M. 1998. Liana distribution and host relationships in some temperate versus tropical forest sites. M.Sc. Thesis. Michigan State University. 81 p.
292. Jiménez-Morales, F. 1985. Evaluación del efecto hipotensor de algunas especies del género Eugenia en Costa Rica . Tesis de Licenciatura . Universidad Nacional. 51 p.
293. Jiménez Salazar, V. 1999. Base de datos cartográficos para el Parque Nacional Palo Verde, Guanacaste, Costa Rica . Tesis de Bachillerato. Instituto Tecnológico de Costa Rica. 52 p.
294. Jiménez Madrigal, Q. 1993. *Arboles maderables en peligro de extinción en Costa Rica*. San José: INCAFO. 121 p.

295. ———. 1999. Consideraciones sobre el manejo y conservación de 18 especies forestales vedadas en Costa Rica 'Guaiacum sanctum L' (guayacán real) un caso particular de estudio. Tesis de Maestría . Universidad Internacional de Andalucía, España. 154 p.
296. Jiménez Ramón, J. A., and E. González Jiménez, eds. 2001. La cuenca del Río Tempisque: perspectivas para un manejo integrado. San José: Organización para Estudios Tropicales. 135 p.
297. Johnson, C. D. 1983. Ecosystematics of Acanthoscelides (Coleoptera: Bruchidae) of Southern Mexico and Central America. *Miscellaneous Publications of the Entomological Society of America* 56: 1-370.
298. Johnson, C. D., and J. M. Kingsolver. 1976. *Systematics of Stator of North and Central America (Coleoptera: Bruchidae)*. Technical Bulletin; No. 1537. Washington, D.C: USDA / ARS.
299. Johnson, L. K. 1983. Foraging strategies and the structure of stingless bee communities in Costa Rica . In: *Social Insects in the Tropics*. P. Jaisson, ed. Pp. 30-58. Paris: Presses de l'Universite Paris-Nord.
300. Johnson, L. K. 1987. The pyrrhic victory of nest-robbing bees: did they use the wrong pheromone? *Biotropica* 19: 188-89.
301. Johnson, L. K., and S. P. Hubbell. 1975. Contrasting foraging strategies and coexistence of two bee species on a single resource. *Ecology* 56: 1398-406.
302. Jones, C. E., and S. L. Buchmann. 1974. Ultraviolet floral patterns as functional orientation cues in hymenopterous pollination systems. *Animal Behaviour* 22, no. 2: 481-85.
303. Kalácska, M. E. R. 2003. Tropical dry and tropical moist forest characterization through remote sensing . M.Sc. Thesis. University of Alberta. 158 p.
304. Kameneva, E. P. 2003. New records of picture-winged flies (Diptera: Ulidiidae) of Central America, including the description of new taxa. *Studia Dipterologica* 10, no. 2: 609-52.
305. Karr, J. R., M. F. Willson, and D. J. Moriarty. 1978. Weights of some Central American birds. *Brenesia* 14/15: 249-58.
306. Keeler, K. H. 1977. The extrafloral nectaries of Ipomoea carnea (Convolvulaceae). *American Journal of Botany* 64, no. 10: 1182-88.
307. Keeler, K. H. 1981. Infidelity by acacia-ants. *Biotropica* 13: 79-80.
308. Keeler, K. H. 1978. Insects feeding at extrafloral nectaries of Ipomoea carnea (Convolvulaceae). *Entomological News* 89, no. 7/8: 163-68.

309. ———. 1975. Ipomoea carnea Jacq. (Convolvulaceae) in Costa Rica . *Brenesia* 5: 1-6.
310. Kimsey, L. S. 1982. Systematics of bees of the genus Eufriesea (Hymenoptera, Apidae). *University of California Publications in Entomology* 95: 1-125.
311. Kingsolver, J. M. 1980. Eighteen new species of Bruchidae, principally from Costa Rica, with host records and distributional notes (Insecta: Coleoptera). *Proceedings of Biological Society of Washington* 93, no. 1: 229-83.
312. Kingsolver, J. M., and C. D. Johnson. 1978. *Systematics of the genus Mimosestes* (Coleoptera: Bruchidae). Technical Bulletin; No. 1590. Washington, DC: Science and Education Administration / USDA.
313. Kingsolver, J. M., and D. R. Whitehead. 1974. Classification and comparative biology of the seed beetle genus Caryedes Hummel (Coleoptera: Bruchidae) . *Transactions of the American Entomological Society* 100, no. 4: 341-436.
314. Kohlmann, B. 1997. The Costa Rican species of Ateuchus (Coleoptera: Scarabaeidae). *Revista de Biología Tropical* 45, no. 1: 177-92.
315. Kohlmann, B., and A. Solís. 1997. El género Dichotomius (Coleoptera: Scarabaeidae) en Costa Rica. *Giornale Italiano di Entomologia* 8: 343-82.
316. ———. 2001. El género Onthophagus (Coleoptera: Scarabaeidae) en Costa Rica . *Giornale Italiano di Entomologia* 9: 159-261.
317. Koptur, S. 1989. Is extrafloral nectar production an inducible defense? In: *Evolutionary Ecology of Plants*. J. Bock, and Y. Linhart, eds. Pp. 323-39. Boulder, CO.: Westview Press.
318. Koptur, S., W. A. Haber, G. W. Frankie, and H. G. Baker. 1988. Phenological studies of shrub and treelet species in tropical cloud forests of Costa Rica. *Journal of Tropical Ecology* 4: 323-46.
319. Laarman, J. G., and R. R. Perdue. 1989. Tropical science and tourism: the case of OTS in Costa Rica. *Tourism Management* March: 29-38.
320. Lachniet, M. S., and W. P. Patterson. 2002. Stable isotope values of Costa Rican surface waters . *Journal of Hydrology* 260: 135-50.
321. Lahmann, E. J., and R. Córdoba Muñoz. 1999. *Humedales de Mesoamérica - Sitios Ramsar de Centroamérica y México*. San José: Unión Mundial para la Naturaleza. 38 p.
322. Lahmann, E. J., and W. G. Eberhard. 1979. Factores selectivos que afectan la tendencia a agruparse en la araña colonial Philoponella semiplumosa (Aranae; Uloboridae). *Revista de Biología Tropical* 27, no. 2: 231-40.

323. Lariviere, M. C. 1994. Parabrochymena Lariviere (Hemiptera: Pentatomidae): systematics, natural history, chorological affinities, and evolutionary relationships, with a biogeographic analysis of Parabrochymena and Brochymena Amyot and Audinet-Serville . *The Canadian Entomologist* 126, no. 5: 1193-250.
324. Lariviere, M. C. 1990. Systematics of Brochymena Amyot and Audinet-Serville and Parabrochymena, new genus (Heteroptera: Pentatomidae: Halyini). Ph.D.Dissertation . McGill University. 384 p.
325. LaVal, R. K. 1977. Notes on some Costa Rican bats. *Brenesia* 10/11: 77-83.
326. LaVal, R. K., and H. S. Fitch. 1977. Structure, movements and reproduction in three Costa Rican bat communities. *Occasional Papers, Natural History Museum, University of Kansas* 69: 1-28.
327. Leary, C. J., and V. R. Razafindratsita. 1998. Attempted predation on a hylid frog, Phrynohyas venulosa, by an indigo snake, Drymarchon corais, and the response of conspecific frogs to distress calls . *Amphibia-Reptilia* 19, no. 4: 442-46.
328. Leber, K. 1980. Habitat utilization in a tropical heronry. *Brenesia* 17: 97-136.
329. Leclercq, J. 2002. Hyménoptères Crabronides Crabroniens des Amériques du genre Rhopalum Stephens, 1829. *Notes Fauniques de Gembloux* 48: 3-115.
330. Levi, H. W. 1991. The Neotropical orb-weaver genera Edricus and Wagneriana (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* 152, no. 6: 363-415.
331. Levi, H. W. 1995. The neotropical orb-weaver genus Metazygia (Araneae: Araneidae) . *Bulletin of the Museum of Comparative Zoology* 154, no. 2: 63-151.
332. ———. 1985. The spiny orb-weaver genera Micrathena and Chaetacis (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* 150, no. 8: 429-618.
333. Lewis, S. E. 1992. Behavior of Peter's tent-making bat, Uroderma bilobatum, at maternity roosts in Costa Rica. *Journal of Mammalogy* 73, no. 3: 541-46.
334. Lewis, S. E., and R. M. Timm. 1991. Predation on nestling Bare-throated Tiger-Herons by a Great Black-Hawk. *Ornitología Neotropical* 2: 37.
335. Lobo-Cabezas, S. 2004. Tipos de orquidáceas brenesianas descritas por R. Schlechter, en el Herbario Nacional de Costa Rica. *Lankesteriana* 4, no. 1: 37-45.
336. Lobo-Segura, J. A. 2000. Highly polymorphic DNA markers in an Africanized honey bee population in Costa Rica. *Genetics and Molecular Biology* 23, no. 2: 317-22.
337. Lobo Segura, J. A. 1995. Morphometric, isozymic and mitochondrial variability of Africanized honeybees in Costa Rica. *Heredity* 75: 133-41.

338. Lomáscolo, S., and A. G. Farji Brener. 2001. Adaptive short-term changes in pit design by antlion larvae (Myrmeleon sp.) in response to different prey conditions. *Ethology, Ecology and Evolution* 13, no. 4: 393-97.
339. Longino, J. T. 1996. Taxonomic characterization of some live-stem inhabiting Azteca (Hymenoptera: Formicidae) in Costa Rica, with special reference to the ants of Cordia (Boraginaceae) and Triplaris (Polygonaceae). *Journal of Hymenoptera Research* 5, no. 13: 1-156.
340. López, A. 1996. Mollusk biodiversity inventory for Costa Rica: a little country takes a big look at its living creatures. *Hawaiian Shell News* 44, no. 7 (New Series 436): 4-5.
341. López-Pizarro, E. 1988. *Historia natural de los felinos de Costa Rica*. San José: MIRENEM. 20 p.
342. ———. 1988. *Historia natural de los reptiles de Costa Rica en peligro de extinción*. San José: MIRENEM. 20 p.
343. Lovelock, C. E., K. Andersen, and J. B. Morton. 2003. Arbuscular mycorrhizal communities in tropical forests are affected by host tree species and environment. *Oecologia* 132, no. 1.
344. Lynn, J. C., T. J. Koronkiewicz, M. J. Whitfield, and M. K. Sogge. 2003. Willow Flycatcher winter habitat in El Salvador, Costa Rica, and Panama: characteristics and threats. In: *Ecology and conservation of the Willow Flycatcher*. M. K. Sogge, B. E. Kus, S. J. Sferra, and M. J. Whitfield, eds. Pp. 41-51. Camarillo, CA: Cooper Ornithological Society.
345. López-Pizarro, E. 1988. *Historia natural de las aves en peligro de extinción de Costa Rica*. San José: MIRENEM. 46 p.
346. Marinoni, L., M. A. Zumbado-Arrieta, and L. Knutson. 2004. A new genus and species of Sciomyzidae (Diptera) from the Neotropical Region. *Zootaxa*, no. 540: 1-7.
347. Marquis, R. J. 2004. Biogeography of neotropical Piper. *Piper: a model genus for studies of phytochemistry, ecology, and evolution*. L. A. Dyer, and A. D. N. Palmer, eds. Pp. 78-96. New York: Kluwer Academic/Plenum Publ.
348. Martínez Yrizar, A. 1995. Biomass distribution and primary productivity of tropical dry forests. In: *Seasonally dry tropical forests*. S. H. Bullock, H. A. Mooney, and E. Medina, eds. Pp. 326-45. New York: Cambridge University Press.
349. Massey, A. 1987. A population survey of Alouatta palliata, Cebus capucinus and Ateles geoffroyi at Palo Verde, Costa Rica. *Revista de Biología Tropical* 35: 345-47.

350. Mateo Vega, J. 2001. Características generales de la cuenca del Río Tempisque. In: *La cuenca del Río Tempisque: perspectivas para un manejo integrado*. J. A. Jiménez Ramón, and E. González Jiménez, eds. Pp. 120-135. San José: Organización para Estudios Tropicales.
351. McCarthy R., R. G. 1993. El sistema de áreas protegidas de Costa Rica y su aporte a la conservación y manejo de los humedales. Tesis de Maestría. Centro Agronómico Tropical de Investigación y Enseñanza. 184 p.
352. McClure, M. S. 1983. Myrmeleon (Hormiga León, Ant Lions). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 742-43. Univ. Chicago Press.
353. McClure, M. S. 1975. Spatial distribution of pit-making ant lion larvae (Neuroptera: Myrmeleontidae): density effects. *Biotropica* 8: 179-83.
354. McCoy, M. 1994. Seasonal, freshwater marshes in the tropics: a case where cattle grazing is not bad. In: *Principles of Conservation Biology*. G. Meffe, and C. R. Carroll, eds. Pp. 352-53. Sunderland, MA: Sinauer.
355. ———. 1985. Seasonal movement, home range, activity, and diet of collared peccaries in Costa Rican dry forest. M.Sc. Thesis. Humboldt State University.
356. McCoy, M., E. Aragón S., G. Herra A., and L. E. Rodríguez P. 1993. Irrigated rice cultivation and waterfowl: methods to reduce the conflict. *Bee Line* 7: 10-13.
357. McCoy, M., and J. M. Rodríguez. 1994. Cattail (Typha domingensis) eradication methods in the restoration of a tropical, seasonal, freshwater marsh. In: *Global wetlands: old world and new*. W. J. Mitsch, eds. Pp. 469-82. Amsterdam: Elsevier Science Publisher.
358. McCoy, M., J. M. Rodríguez, and J. L. Altuve. 1993. Reproductive success and population increase of Black-bellied whistling ducks (Dendrocygna autumnalis) in newly placed artificial nests in a tropical freshwater marsh. In: *Wildlife 2001: Populations*. D. R. McCullough, and R. H. Barrett, eds. Pp. 633-44. London: Elsevier.
359. McCoy, M., and C. Vaughan. 1985. Resultados preliminares del estudio del venado colablanca (Odocoileus virginianus) en Costa Rica. In: *Investigaciones sobre fauna silvestre de Costa Rica*, Pp. 25-36. San José: EUNED .
360. McCoy, M., C. Vaughan, M. A. Rodríguez R., and D. Kitchen. 1990. Seasonal movement, home range, activity and diet of collared peccaries (Tayassu tajacu) in Costa Rican dry forest. *Vida Silvestre Neotropical* 2: 6-20.
361. McCoy, M., C. Vaughan, M. A. Rodríguez R., and V. Villalobos. 1983. An interesting feeding habitat for the collared peccary (Tayassu tajacu Bangs) in Costa Rica. *Brenesia* 21: 456-57.

362. McKamey, S. H. 2003. Review of the New World leafhopper genus Excultanus Oman (Hemiptera: Cicadellidae: Deltocephalinae). *Proceedings of the Entomological Society of Washington* 105, no. 2: 292-99.
363. Menacho Odio, R. M. 2001. Caracterización del turista y su relación con la fauna en los humedales de la cuenca baja y media del río Tempisque, Costa Rica. Tesis de Maestría. Universidad Nacional.
364. Merchán-Fornelino, M., and J. M. Mora-Benavides. 2001. Loxocemus bicolor, biología y distribución del pitón americano en Costa Rica. *Reptilia (Barcelona)* 28: 50-55.
365. Messier, S. H. 1996. Ecology and division of labor in Nasutitermes corniger: the effect of environmental variation on caste ratios. Ph.D. Dissertation. University of Colorado.
366. Meza O., T. A. 1991. Refugio nacional de fauna silvestre 'Rafael Lucas Rodríguez Caballero' (Palo Verde). *Herencia* 3(1-2): 68-76.
367. Meza O., T. A., and A. Bonilla D. 1990. *Areas naturales protegidas de Costa Rica*. Editorial Tecnológica, Cartago. 318 p.
368. Ministerio de Agricultura y Ganadería. 1978. *Lista de especies animales observados en el Refugio de Vida Silvestre Palo Verde, Bagaces, Guanacaste*. San José, Costa Rica: MAG.
369. Monge Monge, A. A. 1999. Estudio de la dinámica del bosque seco tropical a través de parcelas permanentes de muestreo en el Parque Nacional Palo Verde, Bagaces, Guanacaste, Costa Rica. Tesis de Bachillerato. Instituto Tecnológico de Costa Rica.
370. Monge Nájera, J., and R. Chaves. 1995. *Ecología: una introducción práctica*. San José: Editorial de la Universidad de Costa Rica. 245 p.
371. Monro, A. K., and P. J. Stafford. 1998. A synopsis of the genus Echinopepon (Cucurbitaceae: Sicyeae), including three new taxa. *Annals of the Missouri Botanical Garden* 85: 257-72.
372. Mora Benavides, J. M. 1986. Actividad nocturna de Ctenosaura similis (Gray) (Reptiles: Iguanidae) en Palo Verde, Guanacaste, Costa Rica. *Vida Silvestre Neotropical* 1: 81-82.
373. ———. 1986. Alimentación y crecimiento corporal del garrobo Ctenosaura similis Gray, en su primer año de vida. Tesis de Maestría. Universidad de Costa Rica.
374. Mora Benavides, J. M. 1991. Cannibalism in the ctenosaur lizard, Ctenosaura similis, in Costa Rica. *Bulletin of the Chicago Herpetological Society* 26, no. 9: 197-98.
375. ———. 1989. Ctenosaura similis (spiny tailed iguana). Nest emergence. *Herpetological Review* 20, no. 2: 53.

376. ———. 1989. Eco-behavioral aspects of two communally nesting iguanines and the structure of their shared nesting burrows. *Herpetologica* 45: 293-98.
377. ———. 1999. Leptodeira annulata (Culebra Desteñida, Banded Cat-eyed Snake). Diet. *Herpetological Review* 30, no. 2: 102.
378. Mora-Benavides, J. M. 1991. Loxocemus bicolor (burrowing python). Feeding behavior. *Herpetological Review* 22, no. 2: 61.
379. ———. 1987. Predation by Loxocemus bicolor on the eggs of Ctenosaura similis and Iguana iguana. *Journal of Herpetology* 21, no. 4: 334-35.
380. Mora Benavides, J. M., and A. C. Chaves Quirós. 1989. Loxocemus bicolor (burrowing python). Size. *Herpetological Review* 20, no. 3: 72.
381. Morales Quirós, J. F. 2000. *Orquídeas, cactus y bromelias del bosque seco de Costa Rica*. Santo Domingo: INBio. 162 p.
382. ———. 2002. Studies in neotropical Apocynaceae II: A revision of the genus Fernaldia. *Rhodora* 104, no. 918: 186-200.
383. Morón, M. A. 2001. Revision of the rugipennis group of Phyllophaga (sensu stricto) (Coleoptera: Melolonthidae). *Annals of the Entomological Society of America* 94, no. 6: 771-808.
384. Morrone, O., A. S. Vega, and F. O. Zuloaga. 1996. Revisión de las especies del género Paspalum L. (Poaceae: Panicoideae: Paniceae), grupo Dissecta (s. str.). *Candollea* 51, no. 1: 103-38.
385. Morrone, O., and F. Zuloaga. 1993. Sinopsis del género Urochloa (Poaceae: Panicoideae: Paniceae) para México y América Central. *Darwiniana* 32: 59-75.
386. Moscow, D., and C. Vaughan. 1987. Troop movement and food habitats of white faced monkeys in a tropical-dry forest. *Revista de Biología Tropical* 35, no. 2: 287-97.
387. Moser, D. 1975. Searching for Rima. In: *Central American Jungles.*, Pp. 88-101. Alexandria, VA: Time-Life Books.
388. Müller, U. G., and M. D. Dearing. 1994. Predation and avoidance of tough leaves by aquatic larvae of the moth Parapoynx rugosalis (Lepidoptera: Pyralidae). *Ecological Entomology* 19, no. 2: 155-58.
389. Muenchow, G. E. 1987. Is dioecy associated with fleshy fruit? *American Journal of Botany* 74, no. 2: 287-93.
390. Muñoz, G. 1989. Los humedales de Palo Verde. *Unavision* 5: 18-19.

391. Murphy, P. G., and A. E. Lugo. 1995. Dry forests of Central America and the Caribbean. In: *Seasonally dry tropical forests*. S. H. Bullock, H. A. Mooney, and E. Medina, eds. Pp. 9-34. New York: Cambridge University Press.
392. ———. 1986. Ecology of tropical dry forest. *Annual Review of Ecology & Systematics* 17 : 67-88.
393. Márquez Baltán, C. 1995. Historia natural y dimorfismo sexual de la tortuga Kinosternon scorpioides en Palo Verde, Costa Rica . *Revista de Ecología Latinoamericana* 2, no. 1/3: 37-44.
394. Márquez, J. 2003. Systematic revision of the genera Homalolinus and Ehomalolinus (Coleoptera, Staphylinidae, Xantholinini). *Zoologica Scripta* 32: 491-523.
395. Márquez, M. 1996. The Virginia opossum in a tropical dry forest in Costa Rica: female reproductive strategies and male dimorphic characters (sexual dimorphism, Didelphis virginiana). Ph.D. Dissertation. University of Florida.
396. Márquez Reyes, C. 1992. Composición de la comunidad de las aves rapaces diurnas del Parque Nacional Palo Verde, Costa Rica. Tesis de Maestría. Universidad Nacional.
397. Méndez, E. 1984. México and Central America. In: *White-tailed deer: ecology and management.*, Pp. 513-24. Washington, D.C: Wildlife Management Institute.
398. Naskrecki, P. 2000. *Katydids of Costa Rica. Volume 1: Systematics and bioacoustics of the cone-head katydids (Orthoptera: Tettigoniidae: Conocephalinae sensu lato)*. Philadelphia, PA: The Orthopterists' Society.
399. Noguera, F. A. 2002. Revisión taxonómica de las especies del género Eburia Lepeletier y A. Serville in Lacordaire de Norte y Centroamérica (Coleoptera: Cerambycidae). *Folia Entomológica Mexicana* 41, no. Suppl 1: 1-167.
400. O'Donnell, S. 1995. Division of labor in post-emergence colonies of the primitively eusocial wasp Polistes instabilis de Saussure (Hymenoptera: Vespidae). *Insectes Sociaux* 42, no. 1: 17-29.
401. ———. 1998. Effects of experimental forager removals on division of labour in the primitively eusocial wasp Polistes instabilis (Hymenoptera: Vespidae). *Behaviour* 135, no. 2: 173-93.
402. O'Donnell, S. 1993. Interactions of predaceous katydids (Orthoptera: Tettigoniidae) with neotropical social wasps (Hymenoptera: Vespidae): are wasps a defense mechanism of prey? *Entomological News* 104, no. 1: 39-42.
403. O'Malley, R. C., and L. M. Fedigan. 2005. Variability in food-processing behavior among white-faced capuchins (Cebus capucinus) in Santa Rosa National Park, Costa Rica. *American Journal of Physical Anthropology* 128, no. 1: 63-73.

404. Oberbauer, S. F. 1985. Plant water relations of selected species in wet and dry tropical lowland forests in Costa Rica. *Revista de Biología Tropical* 33: 137-42.
405. Olmi, M. 1992. Dryinidae di Costa Rica: Catalogo e considerazioni biogeografiche ed evolutive (Hymenoptera: Chrysidoidea) . *Bollettino della Società Entomologica Italiana* 124, no. 3: 186-200.
406. Opell, B. D. 1981. New Central and South American Uloboridae (Arachnida, Araneae). *Bulletin of American Museum of Natural History* 170: 219-28.
407. Opler, P. A. 1983. Climaciella brunnea (Avispa Mantispida, Wasp Mantispid). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 711-12. Univ. Chicago Press.
408. Opler, P. A. 1978. Interaction of plant life history. In: *Ecology of Arboreal Folivores*. E. Montgomery, ed. Pp. 23-31. Washington, D.C.: Smithsonian Institution Press.
409. ———. 1983. Nectar production in a tropical ecosystem. In: *The Biology of Nectaries*. B. Bentley, and T. Elias, eds. Pp. 30-79. New York: Columbia Univ. Press.
410. Opler, P. A. 1981. Polymorphic mimicry of polistine wasps by a neotropical neuropteran. *Biotropica* 13: 165-76.
411. Opler, P. A., H. G. Baker, and G. W. Frankie. 1975. Reproductive biology of some Costa Rican Cordia species (Boraginaceae). *Biotropica* 7, no. 4: 234-47.
412. Opler, P. A., H. G. Baker, and G. W. Frankie. 1991. Seasonality of climbers: a review and example from Costa Rican dry forest. In: *Biology of Vines*. H. A. Mooney, F. Putz, and S. H. Bullock, eds. Pp. 377-391. Cambridge Univ. Press.
413. Opler, P. A., and K. S. Bawa. 1978. Sex ratios in tropical forest trees. *Evolution* 32, no. 4: 812-21.
414. Opler, P. A., G. W. Frankie, and H. G. Baker. 1980. Comparative phenological studies of treelet and shrub species in tropical wet and dry forests in the lowlands of Costa Rica. *Journal of Ecology* 68: 167-88.
415. ———. 1976. Rainfall as a factor in the release, timing, and synchronization of anthesis by tropical trees and shrubs. *Journal of Biogeography* 3: 231-36.
416. Opler, P. A., and D. H. Janzen. 1983. Cordia alliodora. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 219-21. Univ. Chicago Press.
417. Ornelas, J. F., M. Arizmendi, L. Márquez V., Ma. de L. Navarijo, and H. A. Berlanga. 1993. Variability profiles for line transect bird censuses in a tropical dry forest in Mexico. *The Condor* 95: 422-41.
418. Otis, G. W. , and R. E. Buskirk. 1986. Annual growth bands in a tropical dry forest cactus, Lemaireocereus aragonii. *Cactus and Succulent Journal* 58, no. 1: 25.

419. Panger, M. A. 1997. Hand preference and object-use in free-ranging white faced capuchin monkeys (Cebus capucinus) in Costa Rica. Ph.D. Dissertation. University of California. 206 p.
420. Panger, M. A. 1998. Hand preference in free-ranging white-throated capuchins (Cebus capucinus) in Costa Rica . *International Journal of Primatology* 19, no. 1: 133-63.
421. Panger, M. A. 1998. Object-use in free-ranging white-faced capuchins (Cebus capucinus) in Costa Rica. *American Journal of Physical Anthropology* 106, no. 3: 311-21.
422. Panger, M. A., and H. W. Greene. 1998. Micrurus nigrocinctus (coral snake). Reproduction . *Herpetological Review* 29, no. 1: 46.
423. Panger, M. A., S. Perry, L. M. Rose, J. Gros-Louis, E. Vogel, K. C. Mackinnon, and M. Baker. 2002. Cross-site differences in foraging behavior of white-faced capuchins (Cebus capucinus) . *American Journal of Physical Anthropology* 119, no. 1: 52-66.
424. Panger, M. A., and L. D. Wolfe. 1999. The effects of postural regulation on the hand-use patterns of free-ranging white-faced capuchins (Cebus capucinus) in Panama . *American Journal of Physical Anthropology*, no. Suppl. 28: 217.
425. Pape, T., and M. Andersson. 2000. A new species of Peckia (Diptera: Sarcophagidae) from Costa Rica, with a note on P. pexata (Wulp). *Insecta Mundi* 14, no. 4: 233-40.
426. Paraense, W. L. 2003. A bird's eye survey of Central American planorbid molluscs . *Memorias do Instituto Oswaldo Cruz* 98, no. 1: 51-67.
427. Paraense, W. L. 1996. Neotropical Planorbid snails with apertural lamellae. 1. Biomphalaria helophila (Orbigny, 1835) . *Memorias do Instituto Oswaldo Cruz* 91, no. 2: 177-86.
428. Paschke, M. W. 1993. Distribution and dispersal of Frankia . Ph.D. Dissertation. University of Illinois.
429. Paschke, M. W., and J. O. Dawson. 1992. The occurrence of Frankia in tropical forest soils of Costa Rica. *Plant and Soil* 142, no. 1: 63-67.
430. Pendry, C. A. 2003. Nine new species of Ruprechtia (Polygonaceae) from Central and South America. *Edinburgh Journal of Botany* 60, no. 1: 19-42.
431. Pérez, A. M, and A. López. 1995. Rediscovery, distribution and new taxonomic assignment of Leptinaria sinistra Martens 1898 (Gastropoda: Pulmonata: Subulinidae) from Nicaragua . *Malacological Review* 28, no. 1-2: 127-30.
432. Pérez-Bañón, C., G E. Rotheray, E. G. Hancock, M. A. Marcos-García, and M. A. Zumbado-Arrieta. 2003. Immature stages and breeding sites of some neotropical saprophagous syrphids (Diptera: Syrphidae). *Annals of the Entomological Society of America* 96, no. 4: 458-71.

433. Perry, S., M. Baker, L. Fedigan, J. Gros-Louis, K. M. Jack, K. C. MacKinnon, J. H. Manson, M. A. Panger, K. Pyle, and L. Rose. 2003. Social conventions in wild white-faced capuchin monkeys: evidence for traditions in a neotropical primate. *Current Anthropology* 44, no. 2: 241-68.
434. Piel, W. H. 2001. The systematics of neotropical orb-weaving spiders in the genus Metepeira (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* 157, no. 1: 1-92.
435. Piepenbring, M. 1996. Ecology, seasonal variation, and altitudinal distribution of Costa Rican smut fungi (Basidiomycetes: Ustilaginales and Tilletiales). *Revista de Biología Tropical* 44, no. Supl. 4: 115-23.
436. Pogue, M. G. 2003. New synonyms in the genus Obrima Walker (Lepidoptera: Noctuidae), with additional distribution records. *Proceedings of the Entomological Society of Washington* 105, no. 1: 13-21.
437. Pohl, R. W. 1980. Flora costaricensis. Family #15, Gramineae. *Fieldiana. Botany*, no. 4: 1-608.
438. ———. 1976. New species of Digitaria, Pennisetum, and Poa (Graminae) from Costa Rica. *Fieldiana, Botany* 38, no. 2: 5-13.
439. Pohl, R. W., and G. Davidse. 1971. Chromosome numbers of Costa Rican grasses. *Brittonia* 23, no. 3: 293-324.
440. Preston, S. B. 1969. The Organization for Tropical Studies and its forestry related programs. *Forest Products Journal* 19: 18-20, 62.
441. Puthz, V. 2001. Neotropische arten der gattung Octavius Fauvel, 1873 (Coleoptera, Staphylinidae). 81st contribution to the knowledge of the Euaesthetinae. *Zeitschrift Der Arbeitsgemeinschaft Oesterreichischer Entomologen* 53, no. 1/2: 11-30.
442. Quan Rodas, C. L. 2002. Estado de fragmentación del habitat para el desplazamiento del mono congo (Alouatta palliata) y sus efectos sobre la variabilidad genética en tropas de esta especie en el Area de Conservación Tempisque, Costa Rica. Tesis de Maestría. Universidad Nacional. 80 p.
443. Quesada, M., E. J. Fuchs Castillo, and J. A. Lobo Segura. 2001. Pollen load size, reproductive success and progeny kinship of natural pollinated flowers of the tropical dry forest tree, Pachira quinata (Bombacaceae). *American Journal of Botany* 88, no. 11: 2113-18.
444. Quesada, M., and K. E. Stoner. 2004. Threats to the conservation of tropical dry forest in Costa Rica. In: *Biodiversity conservation in Costa Rica: learning the lessons in a seasonal dry forest*. G. W. Frankie, A. Mata-Jiménez, and S. B. Vinson, eds. Pp. 266-80. Berkeley, CA: University of California Press.

445. Quesada-Mateo, C. A., and J. A. Jiménez-Ramón . 1988. Watershed management and a wetlands conservation strategy: the need for a cross-sectoral approach . In: *The ecology and management of wetlands. vol. 2: Management. Use and value of wetlands*. D. D. Hook, et al, eds. Pp. 12-20. Portland, OR: Timber Press.
446. Quesada Vargas, T. 2001. Diversidad genética de la especie silvestre de arroz Oryza latifolia Desv. en Costa Rica . Tesis de Maestría. Universidad de Costa Rica. 94 p.
447. Quesada-Vargas, T., J. A. Lobo-Segura, and A. M. Espinoza-Esquivel. 2002. Isozyme diversity and analysis of the mating system of the wild rice Oryza latifolia Desv. in Costa Rica. *Genetic Resources and Crop Evolution* 49, no. 6: 633-43.
448. Raabe-Cercone, C. 1987. *Diagnósticos de la zona este del Tempisque*. Cañas: Fundación Friedrich Ebert / Consultoría Agroeconómica.
449. Rakitov, R. A. 2004. Powdering of egg nests with brochosomes and related sexual dimorphism in leafhoppers (Hemiptera: Cicadellidae) . *Zoological Journal of the Linnean Society* 140: 353-81.
450. Ramsar Convention Bureau. 1998. *Sitio Ramsar, Parque Nacional Palo Verde, Costa Rica. Procedimiento de orientación para la gestión: Informe final .*, 40. Gland,CH: Ramsar Convention Bureau .
451. Rathet, I., and J. L. Bronstein. 1987. Dead Acacia thorns: an undescribed arthropod habitat . *The American Midland Naturalist* 118, no. 1: 205-10.
452. Rausher, M. D., and N. L. Fowler. 1979. Intersexual aggression and nectar defense in Chauliognathus distinguendus (Coleoptera: Cantharidae). *Biotropica* 11, no. 2: 96-100.
453. Raveret-Richter, M. A., H. Downing, and W. Richter. 1987. A novel social wasp behavior: worker mouthng and rubbing of teneral Polistes pacifus (Hymenoptera: Vespidae). *Journal of Kansas Entomological Society* 60: 347-49.
454. Reed, R. N. 1997. Trimorphodon biscutatus quadruplex (lyre snake). Diet . *Herpetological Review* 28, no. 4: 206.
455. Reed, W., and F. J. Janzen. 1999. Natural selection by avian predators on size and colour of a freshwater snail (Pomacea flagellata) . *Biological Journal of the Linnean Society* 67, no. 3: 331-42.
456. Reeves, W. K., T. Pape, and P. H. Adler. 2000. Biological notes on New World Sarcophagidae (Diptera) . *Studia Dipterologica* 7, no. 2: 497-500.
457. Reid, F. A. , and C. A. Langtimm. 1993. Distributional and natural history notes for selected mammals from Costa Rica. *The Southwestern Naturalist* 38, no. 3: 299-302.

458. Remsen Jr., J. V. 1983. Chloroceryle americana (Martín Pescador Verde, Green Kingfisher). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 564-65. Univ. Chicago Press.
459. Reznick, D., A. Meyer, and D. Frear. 1993. Life history of Brachyrhaphis rhabdophora (Pisces:Poecillidae). *Copeia*, no. 1: 103-11.
460. Ribbens, E. , B. Burdett, and A. Green. 2003. *Is Guaiacum sanctum effective against arthritis?: an ethnobotany case*. National Center for Case Study Teaching in Science.
461. Riesig, M. J., L. Kruckenhauser, A. Gamauf, and E. Haring. 2003. Molecular phylogeny of the genus Buteo (Aves: Accipitridae) based on mitochondrial marker sequences . *Molecular Phylogenetics and Evolution* 27: 328-42.
462. Rizo-Patrón, F. L. 2003. Estudio de los arrozales del Proyecto Tamarindo: agroquímicos y macroinvertebrados bentónicos en relación al Parque Nacional Palo Verde, Guanacaste, Costa Rica. Tesis de Maestría. Universidad Nacional. 91 p.
463. ———. 2004. Humedal La Bocana precisa restauración. *AMBIEN-TICO*, no. 129: 9-10.
464. Rockwood, L. L. 1973. Distribution density and dispersion of two species of Atta (Hymenoptera: Formicidae) in Guanacaste Province, Costa Rica. *Journal of Animal Ecology* 42: 803-17.
465. ———. 1973. The effect of defoliation on seed production of six Costa Rican tree species. *Ecology* 54, no. 6: 1363-69.
466. Rodda, G. H., and K. Dean Bradley. 2002. Excess density compensation of island herpetofaunal assemblages. *Journal of Biogeography* 29, no. 5-6: 623-32.
467. Rodríguez, J. M., and C. Vaughan. 1985. Notas sobre la ecología de la guatusa (Dasyprocta punctata) en un bosque seco tropical. *Brenesia* 24: 353-60.
468. Rodríguez R., M. A. 1985. Algunos aspectos sobre comportamiento, alimentación y nivel de población de los monos (Primates: Cebidae) en el Refugio de Fauna Silvestre Palo Verde (Guanacaste, Costa Rica). In: *Investigaciones sobre fauna silvestre de Costa Rica.*, Pp. 53-71. EUNA.
469. Rodríguez R., M. A., C. Vaughan, and M. McCoy. 1985. Composición elemental de algunos lamederos minerales utilizados por los ungulados silvestres en Palo Verde, Guanacaste, Costa Rica. *Brenesia* 24: 391-95.
470. Rodríguez Ramírez, J. M. 1988. *Problemática actual del manejo de los humedales de Palo Verde* . San José: MIRENEM. 7 p.

471. Rodríguez S., M., and B. Zand. 1987. Uso de imágenes de satélite, sistemas de información geográfica y visitas al sitio para avalorar la efectividad conservacionista en especies faunísticas: el estudio base del Parque Nacional Palo Verde en Costa Rica, América Central. Heredia: Universidad Nacional. 30 p.
472. Rodríguez, J. M. 1985. Ecología de la guatusa (Dasyprocta punctata Gray). In: *Investigaciones sobre fauna silvestre de Costa Rica.*, Pp. 9-22. San José: EUNED.
473. Rodríguez R., M. A., C. Vaughan, and M. McCoy. 1985. Composición elemental de algunos afloramientos minerales utilizados por los ungulados silvestres en Palo Verde. In: *Investigaciones Sobre Fauna Silvestre de Costa Rica.*, Pp. 75-79. EUNA.
474. Rodríguez R., M. A., C. Vaughan, V. Villalobos, and M. McCoy. 1985. Notas sobre los movimientos del venado colablanca (Odocoileus virginianus) en un bosque tropical seco, 1982-1983. In: *Investigaciones sobre Fauna Silvestre de Costa Rica.*, Pp. 37-46. San José: EUNA.
475. Rojas-Alvarado, A. F. 2005. El complejo de Campyloneurum angustifolium (Sw.) Fée (Polypodiaceae) en Costa Rica. *Lankesteriana* 5, no. 1: 41-48.
476. Romero, A. 1984. Behavior in an 'intermediate' population of the subterranean-dwelling characid Astyanax fasciatus. *Environmental Biology Fishes* 10: 203-7.
477. Romero, A. 1985. Cave colonization by fish: role of bat predation. *The American Midland Naturalist* 113, no. 1: 7-12.
478. ———. 1984. Responses to light in cave and surface populations of Astyanax fasciatus (Pisces: Characidae): an evolutionary interpretation. Ph.D. Dissertation. University of Miami. 147 p.
479. Romero, A., and S. M. Green. 2005. The end of regressive evolution: examining and interpreting the evidence from cave fishes. *Journal of Fish Biology* 67: 3-32.
480. Rose, L. M., S. Perry, M. A. Panger, K. M. Jack, J. H. Manson, J. Gros-Louis, K. C. Mackinnon, and E. R. Vogel. 2003. Interspecific interactions between Cebus capucinus and other species: data from three Costa Rican sites. *International Journal of Primatology* 24, no. 4: 759-96.
481. Rotheray, G. E., M. A. Zumbado-Arrieta, E. G. Hancock, and F. C. Thompson. 2000. Remarkable aquatic predators in the genus Ocyptamus (Diptera, Syrphidae). *Studia Dipterologica* 7, no. 2: 385-98.
482. Rovinski, Y. 1991. Private reserves, parks and ecotourism in Costa Rica. *Nature tourism: managing for the environment*. T Whelan, ed. Pp. 39-57. Washington, D.C.: Island Press.

483. Rowell, H. F. 1983. Checklist of Acridoid grasshoppers (Chapulines) at commonly visited sites in Costa Rica. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 651-53. Univ. Chicago Press.
484. Russell, J. K. 1978. Effects of interspecific dominance among egrets commensally following roseate spoonbills. *The Auk* 95: 608-10.
485. Sader, S. A., and A. T. Joyce. 1988. Deforestation rates and trends in Costa Rica, 1940 to 1983 . *Biotropica* 20, no. 1: 11-19.
486. Sáenz Méndez, J. C. 1999. Movimientos y selección de micro-hábitat de una rata arborícola Ototylomys phyllotis (Rodentia: Muridae) en un bosque seco tropical . *Brenesia* 52: 61-64.
487. Sáenz Méndez, J. C., and C. Vaughan. 1998. Ambito de hogar y utilización de hábitat de dos grupos de venados Cola Blanca Odocoileus virginianus (Artiodactyla: Cervidae) reubicados en un ambiente tropical. *Revista de Biología Tropical* 46, no. 4: 1185-97.
488. Salas, C. L. 1985. Contribución al conocimiento sobre manejo de Crocodylus acutus Cuvier en el Refugio de Fauna Silvestre Dr. Rafael L. Rodríguez C., Palo Verde. Tesis de Licenciatura. Universidad de Costa Rica. 49 p.
489. Sánchez Azofeifa, G. A., G. C. Daily, A. S. P. Pfaff, and C. B. Busch. 2003. Integrity and isolation of Costa Rica's national parks and biological reserves: examining the dynamics of land-cover change . *Biological Conservation* 109: 123-35.
490. Sánchez Chacón, E, M Montiel Longhi, and A. M. Espinoza Esquivel. 2003. Ultrastructural morphologic description of the wild rice species Oryza latifolia (Poaceae) in Costa Rica . *Revista de Biología Tropical* 51, no. 2: 345-54.
491. Sánchez Palomino, P. 1997. Densidad y movimientos de la guatusa (Dasyprocta punctata) relaciondaos con la disponibilidad de alimento en un bosque seco de Costa Rica. Tesis de Maestría. Universidad Nacional.
492. Sanderson, G. C. 1983. Procyon lotor (Mapache, Raccoon). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 485-88. Univ. Chicago Press.
493. Santos, A. J., and A. D. Brescovit. 2003. A revision of the Neotropical species of the lynx spider genus Peucetia Thorell 1869 (Araneae: Oxyopidae) . *Insect Systematics and Evolution* 34, no. 1: 95-116.
494. Savage, J. M. 2002. *The amphibians and reptiles of Costa Rica: a herpetofauna between two continents, between two seas*. Chicago: The University of Chicago Press. 934 p.
495. Scarbrough, A. G. 1993. Revision of the new world species of Ommatius Wiedemann (Diptera: Asilidae): the neotropical costatus species group. *Revista de Biología Tropical* 41, no. Fasc 3: 729-53.

496. Scheffrahn, R. H., J. Krecek, A. L. Szalansk, and J. W. Austin. 2005. Synonymy of neotropical arboreal termites Nasutitermes corniger and N. costalis (Isoptera: Termitidae: Nasutitermitinae), with evidence from morphology, genetics, and biogeography. *Annals of the Entomological Society of America* 98, no. 3: 273-81.
497. Schmidt, B. 1991. Corcovado und Palo Verde - wo Aras lange noch in Freiheit fliegen?. *Tropische Voegel* 12, no. 2: 60-66.
498. Schmidt, J. 1993. Killer Bees! In Guanacaste? *Bee Line* 7: 14-15.
499. Scholz, C. 1999. El banco de semillas del suelo en diferentes estados de sucesión en un bosque seco tropical de Costa Rica. Tesis de Bachillerato. Instituto Tecnológico de Costa Rica. 78 p.
500. Scott, D. H., and M. Carbonell, (eds.). 1986. *Inventario de humedales de la región neotropical*. IWRB, Slimbridge and UICN, Cambridge.
501. Scott, N. J., and S. Limerick. 1983. Reptiles and Amphibians. Introduction. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 351-67. Univ. Chicago Press.
502. Scriber, J. M., and R. C. Lederhouse. 1996. Illustrated field notes on Papilio astyalus pallas in Costa Rica (Lepidoptera: Papilionidae). *Tropical Lepidoptera* 7, no. 2: 119-20.
503. Seal, J. N. 2002. Does Polistes instabilis de Saussure (Hymenoptera: Vespidae) investment predict nest defense? *Journal of the Kansas Entomological Society* 75, no. 4: 335-38.
504. Segura-López, W, and J. Fallas-Gamboa. 1996. Uso de sistemas de información geográfica para analizar impactos de actividades humanas sobre el hábitat potencial del venado cola blanca (Odocoileus virginianus), Guanacaste, Costa Rica . *Revista Geográfica de América Central*, no. 32-33: 123-29.
505. Segura López, W. 1998. Application of the HEP methodology and use of GIS to identify priority sites for the management of white-tailed deer. In: *GIS methodologies for developing conservation strategies: tropical forest recovery and wildlife management in Costa Rica*. B. G. Savitsky, and T. E. Lacher, eds. Pp. 127-37. New York: Columbia University Press.
506. ———. 1995. Uso de sensores remotos y sistemas de información geográfica en la evaluación del habitat potencial del venado cola blanca (Odocoileus virginianus), Bagaces, Guanacaste, Costa Rica. Tesis de Licenciatura. Universidad Nacional. 152 p.
507. Seigler, D. S., and J. E. Ebinger. 1995. Taxonomic revision of the ant-acacias (Fabaceae, Mimosoideae, Acacia, Series Gummiferae) of the New World. *Annals of the Missouri Botanical Garden* 82, no. 1: 117-38.

508. Shafir, S. 1996. Color discrimination conditioning of a wasp, Polybia occidentalis (Hymenoptera: Vespidae). *Biotropica* 28, no. 2: 243-51.
509. Short, A. E. Z. 2004. Review of the Central American species of Hydrobiomorpha Blackburn (Coleoptera: Hydrophilidae). *Koleopterologische Rundschau* 74: 363-66.
510. Simberloff, D. S. 1983. Mangroves (Mangles, Mangroves). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 273-76. Univ. Chicago Press.
511. Simberloff, D. S., L. King, P. M. Dillon, S. Lowrie, D. Lorence, and E. Schilling. 1978. Holes in the doughnut theory: the dispersion of ant-lions. *Brenesia* 14/15: 13-47.
512. Sistema Nacional de Areas de Conservación / INBio. Proyecto Desarrollo de Recursos de Biodiversidad INBio-GEF/BM. 1998. *Curso de Administración y Mercadeo de la Investigación en las Areas de Conservación, Estación Biológica Palo Verde CR, 4-6 Jun. 1998*. San José: SINAC / INBio. 53 p.
513. Skaggs, S. C. 1985. The foraging patterns and diet composition of mantled howler monkeys (Alouatta palliata) during the dry season in dry tropical forest. *Journal of the Minnesota Academy of Science* 51, no. 3: 17.
514. Slud, P. 1980. *The Birds of Hacienda Palo Verde, Guanacaste, Costa Rica*. Washington, DC: Smithsonian Institution Press. 92 p.
515. Slud, P. 1957. Cattle egret in Costa Rica. *The Condor* 59: 400.
516. Smiley, J. T. 1983. Passiflora foetida (Bombillo, Calzoncillo, Ñorbo, Granadilla del Monte, Passion Flower). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 298-99. Univ. Chicago Press.
517. Smith, C. M. 1978. The impact of the O.T.S. on the ecology of Costa Rica. *Texas Journal of Science* 30, no. 3: 283-89.
518. Smith, D. R., and D. H. Janzen. 2003. Food plants and life histories of sawflies of the families Tenthredinidae and Pergidae (Hymenoptera) in Costa Rica, with descriptions of four species. *Journal of Hymenoptera Research* 12, no. 2: 312-32.
519. Snelling, R. R. 1974. Notes on the distribution and taxonomy of some North American Centris (Hymenoptera: Anthophoridae). *Contributions in Science (Los Angeles)*, no. 259: 1-41.
520. ———. 1990. A review of the native North American bees of the genus Chalicodoma (Hymenoptera: Megachilidae). *Contributions in Science* 421, no. 1-39.
521. Snow, N., and G. E. Crow. 1993. Primera documentación de Leptochloa panicoides (Presl) Hitchc. (Poaceae) en Costa Rica. *Brenesia* 39-40: 189-90.

522. Solomon, J. C., and R. C. Froeschner. 1981. Notes on food resources and behavior of the family Coreidae (Hemiptera) in a semi-deciduous tropical forest. *Proceedings of the Entomological Society of Washington* 83, no. 3: 428-31.
523. South, J. M., and T. F. Wright. 2002. Nestling sex ratios in the yellow-naped amazon: no evidence for adaptive modification. *The Condor* 104, no. 2: 437-40.
524. Staines, C. L. 1994. A revision of the genus Anisostena Weise (Coleoptera: Chrysomelidae, Hispinae). Part III. The pilatei group. *Insecta Mundi* 8, no. 3-4: 213-26.
525. Stephens, M. L. 1984. Interspecific aggressive behavior of the polyandrous Northern jacana (Jacana spinosa). *The Auk* 101: 508-18.
526. Stephens, M. L. 1984. Maternal care and polyandry in the Northern Jacana (Jacana spinosa). Ph.D. Dissertation. University of Chicago. 160 p.
527. Stern, M. J., M. Quesada, and K. E. Stoner. 2002. Changes in composition and structure of a tropical dry forest following intermittent cattle grazing. *Revista de Biología Tropical* 50, no. 3/4: 1021-34.
528. Stevens, G. 1983. Bursera simaruba (Indio Desnudo, Jiñocuave, Gumbo Limbo). In: *Costa Rican Natural History*. D. H. Janzen, eds. Pp. 201-2. Univ. Chicago Press.
529. Stiles, F. G. 1983. Butorides virescens (Garcilla Verde, Green Heron). In: *Costa Rican Natural History*. D. H. Janzen, eds. Pp. 552-54. Univ. Chicago Press.
530. ———. 1983. Checklist of birds. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 530-544. Univ. Chicago Press.
531. Stiles, F. G. 1988. Checklist of the birds of Palo Verde, Provincia Guanacaste. In: *A naturalist's guide to the OTS Palo Verde Field Station (la Estación Biológica de la OET). El Refugio de Fauna Silvestre Dr. Rafael Lucas Rodríguez Caballero, Guanacaste Province, Costa Rica*. D. E. Gill, ed. Pp. 50-58. San José: OTS.
532. ———. 1985. Conservation of forest birds in Costa Rica: problems and perspectives. In: *Conservation of Tropical Forest Birds*. A. W. Diamond, and T. E. Lovejoy, eds. Pp. 141-68. Intl. Council for Bird Preserv., Tech. Publ. No. 4.
533. ———. 1985. On the role of birds in the dynamics of neotropical forest. In: *Conservation of Tropical Forest Birds*. A. W. Diamond, and T. E. Lovejoy, eds. Pp. 49-59. Intl. Council for Bird Preserv.
534. Stiles, F. G., and C. E. Freeman. 1993. Patterns in floral nectar characteristics of some bird-visited plant species from Costa Rica. *Biotropica* 25, no. 2: 191-205.
535. Stiles, F. G., and A. F. Skutch. 1989. *A Guide to the Birds of Costa Rica*. Ithaca, NY: Cornell Univ. Press. 511 p.

536. ———. 1995. *Guía de aves de Costa Rica*. Heredia: INBio. 686 p.
537. Stiles, F. G., and S. M. Smith. 1977. New information on Costa Rican waterbirds. *The Condor* 79: 91-97.
538. ———. 1980. Notes on bird distribution in Costa Rica. *Brenesia* 17: 137-56.
539. Stone, D. E. 1988. The Organization for Tropical Studies (OTS): a success story in graduate training and research. In: *Tropical Rain Forests: Diversity and Conservation*. F. Almeda, and C. M. Pringle, eds. Pp. 143-87. San Francisco: Calif. Acad. Sciences and Pac. Div. AAAS.
540. Stoner, K. E. 2001. Differential habitat use and reproductive patterns of frugivorous bats in tropical dry forest of northwestern Costa Rica. *Canadian Journal of Zoology* 79, no. 9: 1626-33.
541. Stoner, K. E., and R. M. Timm. 2004. Tropical dry-forest mammals of Palo Verde: ecology and conservation in a changing landscape. In: *Biodiversity conservation in Costa Rica: learning the lessons in a seasonal dry forest*. G. W. Frankie, A. Mata-Jiménez, and S. B. Vinson, eds. Pp. 48-66. Berkeley, CA : University of California Press.
542. Stowe, K. A. 1995. Intracrown distribution of herbivore damage on *Laguncularia racemosa* in a tidally influenced riparian habitat. *Biotropica* 27: 509-12.
543. Sáenz M., J. 1990. Ecología de dos grupos de venados cola blanca (*Odocoileus virginianus*) liberados en un nuevo habitat. Tesis de Licenciatura. Universidad Nacional. 135 p.
544. Sánchez Chacón, E. 1999. Comparación morfológica ultraestructural de las especies silvestres de arroz *Oryza*: Poaceae en Costa Rica. Tesis de Licenciatura. Universidad de Costa Rica. 114 p.
545. Sánchez, J. 1986. Costa Rica. In: *Inventario de humedales de la región neotropical*. D. A. Scott, and M. Carbonell, comps. Pp. 333-42. Gloucester: Buró Internacional para el Estudio de las Aves Acuáticas IWRB /UICN.
546. Sánchez, J., J. M. Rodríguez, and C. Salas. 1985. Distribución, ciclos reproductivos y aspectos ecológicos de aves acuáticas. In: *Investigaciones Sobre Fauna Silvestre de Costa Rica*, Pp. 83-103. EUNA.
547. ———. 1981. *Ecología y análisis poblacional de las poblaciones de aves acuáticas de la cuenca del río Tempisque, Palo Verde, Costa Rica*. San José: Ministerio de la Agricultura y Ganadería.
548. Taylor, D. W. 2003. Introduction to Physidae (Gastropoda: Hygrophila); biogeography, classification, morphology. *Revista de Biología Tropical* 51, no. Supl 1: 1-287.

549. Tenenbaum, D. 1995. Drawing a green line: Costa Rica makes audacious plans to reclaim its forests. *The Environmental Magazine* 6, no. 2: 26-29.
550. Terborgh, J. 1989. *Where have all the birds gone?: essays on the biology and conservation of birds that migrate to the American tropics*. Princeton Univ. Press. 207 p.
551. Teska, W. R. 1976. Terrestrial movements of the mud turtle Kinosternon scorpioides in Costa Rica. *Copeia* 3: 579-80.
552. Thiele Mora, G. M. 2000. Efecto de borde sobre la diversidad vegetal del Parque Nacional Palo Verde, Costa Rica . Tesis de Maestría. Centro Agronómico Tropical de Investigación y Enseñanza. 100 p.
553. Thompson, F. G, and S. J. Al López. 1996. A new land snail of the genus Gastrocopta from Nicaragua (Pulmonata: Vertiginidae), and its relationship to species from northeastern South America . *American Malacological Bulletin* 13, no. 2: 47-53.
554. Tillberg, C. V. 2003. The evolution and ecology of ant-plant symbiosis. Ph.D. Dissertation. University of Colorado. 143 p.
555. Timberlake, P. H. 1980. Review of North American Exomalopsis (Hymenoptera, Anthophoridae). Part. IV. The subgenus Exomalopsis. *University of California Publications in Entomology* 86: 119-58.
556. Timm, R. M. 1985. Artibeus phaeotis. *Mammalian Species* 235: 1-6.
557. Timm, R. M. 1987. Tent construction by bats of the genera Artibeus and Uroderma. In: *Studies in Neotropical Mammalogy: Essays in Honor of Philip Hershkovitz. Fieldiana: Zoology, n.s. No. 39*. B. D. Patterson, and R. M. Timm, eds. Pp. 187-212.
558. Timm, R. M., and S. E. Lewis. 1991. Tent construction and use by Uroderma bilobatum in coconut palms (Cocos nucifera) in Costa Rica. *Bulletin of American Museum of Natural History* 206: 251-60.
559. Toledo, V. H. 1997. Revisión taxonómica del género Lagocheirus Dejean para México y Centroamérica (Coleoptera: Cerambycidae). *Folia Entomológica Mexicana* 101: 1-58.
560. Trama, F. A. 2005. Manejo activo y restauración del humedal Palo Verde: cambios en las coberturas de vegetación y respuesta de las aves acuáticas. Tesis de Maestría. Universidad Nacional. 154 p.
561. ———. 2004. Restauración de humedal Palo Verde para aves. *AMBIEN-TICO* 129: 11-12.

562. Trama, F. A., M. Solís-R., and E. González Jiménez. 2004. Vanellus chilensis (Aves: Charadriidae): una nueva especie registrada para el humedal RAMSAR Palo Verde, Costa Rica. *Brenesia*, no. 61: 127-28.
563. Trapnell, D. W., and J. L. Hamrick. 2004. Partitioning nuclear and chloroplast variation at multiple spatial scales in the neotropical epiphytic orchid, Laelia rubescens. *Molecular Ecology* 13, no. 9: 2655-66.
564. Trines, E. P. 1998. Assessing and monitoring carbon offset projects: the Costa Rican case. *Commonwealth Forestry Review* 77, no. 3: 214-18.
565. Trivelato, M., L. Murillo, G. Barboza Jiménez, and A. Cordero. 1997. *Diálogo ambiental en comunidades rurales: experiencias participativas de la OET*. San José: Organización para Estudios Tropicales. 72 p.
566. Trombulak, S. C. 1990. Assessment of territory value by a tropical hummingbird (Amazilia saucerottei). *Biotropica* 22: 9-15.
567. ———. 1983. A bathing assembly of blue-vented hummingbirds (Amazilia saucerottei) in Costa Rica. *The Condor* 85: 495-96.
568. Tschapka, M., and S. Dressler. 2002. Chiropterophily: on bat-flowers and flower bats. *Curtis's Botanical Magazine* 19, no. 2: 114-25.
569. Tucker, G. C. 1983. The taxonomy of Cyperus (Cyperaceae) in Costa Rica and Panama. *Systematic Botany Monographs* 2: 1-85.
570. Turner, A. 1991. Eye-opening disguises. *BBC Wildlife* Dec.: 823.
571. Umaña Q., A. 1990. Costa Rica's fight for the tropics. In: *1990 Yearbook of Science and the Future*. D. Calhoun, ed. Pp. 127-45. Chicago: Encyclopaedia Britannica.
572. Universidad Nacional. 1990. Curso ecología de poblaciones de Vertebrados: III Promoción. *Programa de maestría en manejo de vida silvestre para Mesoamérica y el Caribe*. Heredia, C.R.: Facultad, Univ. Nacional.
573. Valerio, C. 1985. Dispersal by anemogochory in some neotropical Cucurbitaceae. *Revista de Biología Tropical* 33: 57.
574. Van Devender, R. W. 1983. Basiliscus basiliscus (Chisbala, Garrobo, Basilisk, Jesus Christ Lizard). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 379-80. Univ. Chicago Press.
575. Vandenberg, N. J. 1992. Revision of the New World lady beetles of the genus Olla and description of a new allied genus (Coleoptera: Coccinellidae) . *Annals of the Entomological Society of America* 85, no. 4: 370-392.

576. Vardy, C. R. 2000. The New World tarantula-hawk wasp genus Pepsis Fabricius (Hymenoptera: Pompilidae). Part 1. Introduction and the P. rubra species-group. *Zoologische Verhandelingen*, no. 332: 1-86.
577. Vaughan, C., G. Canessa, M. McCoy, M. A. Rodríguez R., J. Bravo, J. Sánchez, R. Morales, T. Hawkins, E. Crozier, D. Shaffer, M. Rodríguez, and F. Hodgson. 1982. *Refugio de Fauna Silvestre Rafael Lucas Rodríguez Caballero: Plan de manejo y desarrollo*. Heredia, C.R.: EUNA. 272 p.
578. Vaughan, C., and M. McCoy. 1982. Barn owl food habits. *Brenesia* 19/20: 614-15.
579. Vaughan, C., and M. A. Rodríguez R. 1986. Comparación de los hábitos alimenticios del coyote (Canis latrans) en dos localidades en Costa Rica. *Vida Silvestre Neotropical* 1, no. 1: 6-11.
580. Vaughan, C., and M. A. Rodríguez R. 1991. White-tailed deer management in Costa Rica. In: *Neotropical wildlife use and conservation*. J. G. Robinson, and K. H. eds. Pp. 288-299. Redford Univ. Chicago Press.
581. Vaughan, C., and S. Shoenfelder. 1999. Dry season activity, movement, habitat and den utilization of nine-banded armadillo (Dasybus novemcinctus) in neotropical dry forest, Costa Rica. *Revista de Biología Tropical* 47, no. 4: 1117-19.
582. Vaughan, C., and V. Solís. 1988. Wildlife conservation in Costa Rica: ecological, sociological and behavioral science contributions in policy making. In: *Advances in Comparative Psychology*. P. A. Bertacchini, ed. Pp. 93-117. Cosenza, Italy: Univ. Calabria.
583. Vaughan Dickhaut, C., M. McCoy, J. Fallas Gamboa, H. Chaves Kiel, G. Barboza Jiménez, G. Wong Reyes, M. Carbonell, J. R. Rau, and M. Carranza. 1994. *Plan de manejo y desarrollo Parque Nacional Palo Verde y Reserva Biológica Lomas Barbudal (Contrato SENARA-BID-MIRENEM-UNA)*. Heredia: Universidad Nacional. 192 p.
584. Vencl, F. V., A. Levy, R. Geeta, G. Keller, and D. M. Windsor. 2004. Observations on the natural history, systematics and phylogeny of the Criocerinae of Costa Rica and Panama. *New Developments in the Biology of Chrysomelidae*. P. Jolivet, J. A. Santiago-Blay, and M. Schmitt, eds. Pp. 423-54. The Hague: Academic Publishing.
585. Villalobos Solé, C. R. 1997. Economic malacology in Costa Rica. In *Molluscs of economic and sanitary importance in the tropics: The Costa Rican experience*. J. Monge Nájera, ed. Pp. 82-109. San José: Editorial de la Universidad de Costa Rica.
586. Villarreal Orias, J. A. 1997. Estado actual, presas y uso de habitat del jabirú (Jabiru mycteria) en la cuenca baja del Río Tempisque, Costa Rica. Tesis de Maestría. Universidad Nacional. 104 p.

587. Villarreal Orias, J. A. 2000. *Tamaño poblacional, reproducción y habitat del jabirú (Jabiru myceteria) en el Area de Conservación Tempisque, Costa Rica : Informe de investigación*. San José: MINAE / INBio / OET / American Bird Conservancy / US Fish and Wildlife Service. 24 p.
588. Vinson, S. B., G. W. Frankie, and J. Barthell. 1993. Threats to the diversity of solitary bees in a neotropical dry forest in Central America. In: *Biodiversity*. J. LaSalle, and I. D. Gauld, eds. Pp. 53-81. Wallingford, U.K.: CAB International.
589. Vinson, S. B., H. J. Williams, G. W. Frankie, and R. E. Coville. 1984. Comparative morphology and chemical contents of male mandibular glands of several Centris species (Hymenoptera: Anthophoridae) in Costa Rica. *Comparative Biochemistry and Physiology. B. Comparative Biochemistry* 77, no. 4: 685-88.
590. Vöhringer, F. 2004. Forest conservation and the clean development mechanism: Lessons from the Costa Rican protected areas project . *Mitigation and Adaptation Strategies for Global Change* 9, no. 3: 217.
591. Wallace, D. R. 1992. *The quetzal and the macaw: the story of Costa Rica's National Parks*. San Francisco: Sierra Club.
592. Ward, P. S. 1989. Systematic studies on Pseudomyrmecine ants: revision of the Pseudomyrmex oculatus and P. subtilissimus species groups, with taxonomic comments on other species. *Quaestiones Entomologicae* 25, no. 4: 393-468.
593. ———. 1993. Systematic studies on Pseudomyrmex acacia-ants (Hymenoptera: Formicidae:Pseudomyrmecinae). *Journal of Hymenoptera Research* 2, no. 1: 117-68.
594. Webb, D. W., and M. E. Irwin. 1995. The new world genus Chromolepida Cole (Diptera: Therevidae: Therevinae). *Proceedings of the Entomological Society of Washington* 97, no. 1: 197-224.
595. Wehncke, E. V., C. N. Valdez, and C. A. Domínguez Pérez-Tejada. 2004. Seed dispersal and defecation patterns of Cebus capucinus and Alouatta palliata: consequences for seed dispersal effectiveness . *Journal of Tropical Ecology* 20, no. Part 5: 535-43.
596. Wesch, R. A. 1999. The occurrence and diversity of tree legumes as influenced by soil properties in selected tropical forests in Costa Rica. M.Sc. Thesis. Texas A&M University. 186 p.
597. Wetterer, J. K., D. S. Gruner, and J. E. López. 1998. Foraging and nesting ecology of Acromyrmex octospinosus (Hymenoptera: Formicidae) in a Costa Rican tropical dry forest. *Florida Entomologist* 81, no. 1: 61-67.
598. Whitehead, D. R. 1976. Classification and evolution of Rhinochenus Lucas (Coleoptera: Curculionidae:Cryptorhinae) and quaternary Middle American zoogeography . *Quaestiones Entomologicae* 12: 118-201.

599. Wiemann, M. C., and G. B. Williamson. 1989. Radial gradients in the specific gravity of wood in some tropical and temperate trees. *Forest Science* 35, no. 1: 197-210.
600. Wiemann, M. C., and G. B. Williamson. 1989. Wood specific gravity gradients in tropical dry and montane rain forest trees. *American Journal of Botany* 76: 924-28.
601. Wiley, R. H. 1983. Campylorhynchus rufinucha (Soterrey Matraquero, Rufous-naped Wren). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 558-60. Univ. Chicago Press.
602. Wilkinson, G. S. 1987. Altruism and cooperation in bats. In: *Recent Advances in the Study of Bats*. M. B. Fenton, A. Racey, and J. M. V. Rayner, eds. Pp. 299-323. Cambridge Univ. Press.
603. Will, K. W. 2002. Revision of the New World abariform genera Neotalus n. gen. and Abaris Dejean (Coleoptera: Carabidae: Pterostichini (Auctorum)). *Annals of the Carnegie Museum of Natural History* 71, no. 3: 143-213.
604. Wilson, D. E. 1983. Checklist of Mammals. In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp.443-47. Univ. Chicago Press.
605. Wilson, E. O. 2003. *Pheidole in the New World: A dominant, hyperdiverse ant genus* . Cambridge, MA: Harvard University. 794 p.
606. Windsor, D. M., and A. Massey. 1983. Calynda bicuspis (Palito Andando, Juanpalo, Guanacaste Stick Insect). In: *Costa Rican Natural History*. D. H. Janzen, ed. Pp. 705-6. Univ. Chicago Press.
607. Windsor, D. M., D. W. Trapnell, and G. Amat. 1996. The egg capitulum of a neotropical walkingstick, Calynda bicuspis, induces aboveground egg dispersal by the ponerine ant, Ectatomma ruidum . *Journal of Insect Behavior* 9, no. 3: 353-67.
608. Wood, T. K. 1984. Life history patterns of tropical membracids (Homoptera: Membracidae). *Sociobiology* 8, no. 3: 299-347.
609. Wood, W. 2005. A comparison of mandibular gland volatiles from ants of the bull horn acacia, Acacia collinsii. *Biochemical Systematics and Ecology* 33 : 651-58.
610. Wright, T. F. 1996. Regional dialects in the contact call of a parrot . *Proceedings of the Royal Society of London - Series B: Biological Sciences* 263, no. 1372: 867-72.
611. ———. 1997. Vocal communication in the yellow-naped amazon (Amazona auropalliata). Ph.D. Dissertation. University of California.
612. Wright, T. F. 1996. Vocal communication in the yellow-naped Amazon in Costa Rica. *Exotic Bird Report* 8, no. 2: 2-3.

613. ———. 1999. Vocal communication in wild populations of the yellow-naped Amazon (*Amazona auropalliata*) . *AFA Watchbird* 26, no. 1: 7-9.
614. Wright, T. F., A. M. Rodríguez-Ferraro, and R. C. Fleischer. 2005. Vocal dialects, sex-biased dispersal, and microsatellite population structure in the parrot *Amazona auropalliata* . *Molecular Ecology* 14, no. 4: 1197-205.
615. Wright, T. F., and G. S. Wilkinson. 2001. Population genetic structure and vocal dialects in an amazon parrot. *Proceedings of the Royal Society of London - Series B: Biological Sciences* 268: 609-16.
616. Wyatt, R. 1981. Components of reproductive output in five tropical legumes. *Bulletin of the Torrey Botanical Club* 108, no. 1: 67-75.
617. Young, A. M. 1982. An evolutionary-ecological model of the evolution of migratory behavior in the monarch butterfly, and its absence in the queen butterfly. *Acta Biotheoretica* 31: 219-37.
618. ———. 1974. Some differences between temperate and tropical populations of monarch (*Danaus plexippus*) and queen (*Danaus gilippus*) butterflies (Lepidoptera: Danaidae). *Entomological News* 58, no. April: 116-26.
619. Young, B. E., M. Kaspari, and T. E. Martin. 1990. Species-specific nest site selection by birds in ant-acacia trees. *Biotropica* 22, no. 3: 310-315.
620. Zamora Villalobos, N. A. 2000. Nuevas especies y combinaciones en Leguminosas de Centroamérica . *Novon* 10, no. 2: 175-80.
621. Zullini, A., P. A. A. Loof, and T. Bongers. 2002. Free-living nematodes from nature reserves in Costa Rica. 2. Mononchina. *Nematology: International Journal of Fundamental and Applied Nematological Research* 4, no. 1: 1-23.
622. Zúñiga-Ramírez, R. J. 2004. The taxonomy and biology of the *Polycyrtus* species (Hymenoptera: Ichneumonidae, Cryptinae) of Costa Rica. *Contributions of the American Entomological Institute* 33, no. 4: 1-159.